

DAFTAR PUSTAKA

- [1] T. Foltýnek, N. Meuschke, dan B. Gipp, “Academic plagiarism detection: A systematic literature review,” *ACM Comput. Surv.*, vol. 52, no. 6, 2020, doi: 10.1145/3345317.
- [2] A. Amirzhanov, C. Turan, dan A. Makhmutova, “Plagiarism types and detection methods: a systematic survey of algorithms in text analysis,” *Front. Comput. Sci.*, vol. 7, no. MI, 2025, doi: 10.3389/fcomp.2025.1504725.
- [3] V. Thompson, “Methods for Detecting Paraphrase Plagiarism,” hlm. 1–21, 2017, [Daring]. Tersedia pada: <http://arxiv.org/abs/1712.10309>
- [4] “Global Plagiarism Report 2018–2024: COVID & AI Impact.” Diakses: 5 Januari 2026. [Daring]. Tersedia pada: <https://plagiarismsearch.com/global-plagiarism-trends>
- [5] G. Majumder, P. Pakray, A. Gelbukh, *dkk.*, “Semantic textual similarity methods, tools, and applications: A survey,” *Computacion y Sistemas*, vol. 20, no. 4, hlm. 647–665, 2016, doi: 10.13053/CyS-20-4-2506.
- [6] D. Cer, M. Diab, E. Agirre, *dkk.*, “SemEval-2017 Task 1: Semantic Textual Similarity Multilingual and Cross-lingual Focused Evaluation,” *Proceedings of the Annual Meeting of the Association for Computational Linguistics*, hlm. 1–14, 2017, doi: 10.18653/v1/s17-2001.
- [7] P. Andruszkiewicz dan B. Rychalska, “Vanilla Recurrent Neural Networks for Interpretable Semantic Textual Similarity,” *Proceedings of the 36th Pacific Asia Conference on Language, Information and Computation*, hlm. 703–712, 2022, [Daring]. Tersedia pada: <https://aclanthology.org/2022.paclic-1.77/>
- [8] M. Han, X. Zhang, X. Yuan, *dkk.*, “A survey on the techniques, applications, and performance of short text semantic similarity,” *Concurr. Comput.*, vol. 33, no. 5, hlm. 1–17, 2021, doi: 10.1002/cpe.5971.
- [9] Z. H. Amur, Y. Kwang Hooi, H. Bhanbro, *dkk.*, “Short-Text Semantic Similarity (STSS): Techniques, Challenges and Future Perspectives,” *Applied Sciences (Switzerland)*, vol. 13, no. 6, 2023, doi: 10.3390/app13063911.
- [10] A. Kamineni, M. Shrivastava, H. Yenala, *dkk.*, “Siamese LSTM with Convolutional Similarity for Similar Question Retrieval,” *2018 International Joint Symposium on Artificial Intelligence and Natural Language Processing, iSAI-NLP 2018 - Proceedings*, hlm. 1–7, 2018, doi: 10.1109/iSAI-NLP.2018.8692937.
- [11] S. Wan, Y. Lan, J. Guo, *dkk.*, “A deep architecture for semantic matching with multiple positional sentence representations,” *30th AAAI Conference on Artificial Intelligence, AAAI 2016*, hlm. 2835–2841, 2016, doi: 10.1609/aaai.v30i1.10342.
- [12] H. Shahmohammadi, M. H. Dezfoulian, dan M. Mansoorizadeh, “Paraphrase detection using LSTM networks and handcrafted features,” *Multimed. Tools Appl.*, vol. 80, no. 4, hlm. 6479–6492, 2021, doi: 10.1007/s11042-020-09996-y.
- [13] R. W. Pratiwi, Y. Sari, dan Y. Suyanto, “Attention-Based BiLSTM for Negation Handling in Sentimen Analysis,” *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, vol. 14, no. 4, hlm. 397, 2020, doi: 10.22146/ijccs.60733.
- [14] J. Chen, T. Zhang, Z. Yan, *dkk.*, “Attention-based BiLSTM with positional embeddings for fake review detection,” *J. Big Data*, vol. 12, no. 1, 2025, doi: 10.1186/s40537-025-01130-9.
- [15] H. Qin, “BiLSTM Text Classification Incorporating Attentional Mechanisms,” *Academic Journal of Computing & Information Science*, vol. 6, no. 13, hlm. 92–98, 2023, doi: 10.25236/ajcis.2023.061314.

- [16] R. Ghaeini, X. Z. Fern, dan P. Tadepalli, "Interpreting recurrent and attention-based neural models: A case study on natural language inference," *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, EMNLP 2018*, hlm. 4952–4957, 2018, doi: 10.18653/v1/d18-1537.
- [17] L. Cai, S. Zhou, X. Yan, *dkk.*, "A Stacked BiLSTM Neural Network Based on Coattention Mechanism for Question Answering," *Comput. Intell. Neurosci.*, vol. 2019, 2019, doi: 10.1155/2019/9543490.
- [18] Y. Xu, X. Liu, X. Cao, *dkk.*, "Artificial intelligence: A powerful paradigm for scientific research," *Innovation*, vol. 2, no. 4, 2021, doi: 10.1016/j.xinn.2021.100179.
- [19] Y. Lecun, Y. Bengio, dan G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, hlm. 436–444, 2015, doi: 10.1038/nature14539.
- [20] "Artificial Intelligent: Sejarah, Cara Kerja, dan Manfaatnya." Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://www.bhinneka.com/blog/artificial-intelligent-ai-adalah/>
- [21] R. S. Nurhalizah, R. Ardianto, dan P. Purwono, "Analisis Supervised dan Unsupervised Learning pada Machine Learning: Systematic Literature Review," *Jurnal Ilmu Komputer dan Informatika*, vol. 4, no. 1, hlm. 61–72, 2024, doi: 10.54082/jiki.168.
- [22] I. H. Sarker, "Machine Learning: Algorithms, Real-World Applications and Research Directions," *SN Comput. Sci.*, vol. 2, no. 3, hlm. 1–21, 2021, doi: 10.1007/s42979-021-00592-x.
- [23] "Introduction to the Machine Learning | by Laxman | Medium." Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://medium.com/@madasulaxman028/introduction-to-the-future-of-artificial-intelligence-5b2356dc01db>
- [24] L. Alzubaidi, J. Zhang, A. J. Humaidi, *dkk.*, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021. doi: 10.1186/s40537-021-00444-8.
- [25] M. Li, Y. Jiang, Y. Zhang, *dkk.*, "Medical image analysis using deep learning algorithms," *Front. Public Health*, vol. 11, no. November, hlm. 1–28, 2023, doi: 10.3389/fpubh.2023.1273253.
- [26] W. Yin, K. Kann, M. Yu, *dkk.*, "Comparative Study of CNN and RNN for Natural Language Processing," 2017, [Daring]. Tersedia pada: <http://arxiv.org/abs/1702.01923>
- [27] E. Arar dan F. H. Halicioglu, "Understanding Artificial Neural Networks as a Transformative Approach to Construction Risk Management: A Systematic Literature Review," *Buildings*, vol. 15, no. 18, hlm. 1–34, 2025, doi: 10.3390/buildings15183346.
- [28] "Artificial Neural Network. Assalamualaikum teman-teman, | by Kinanti Dhea Larasati | Medium." Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://medium.com/@dhea.larasati326/artificial-neural-network-55797915f14a>
- [29] Y. Lei, M. He, H. Song, *dkk.*, "A Deep-Neural-Network-Based Decoding Scheme in Wireless Communication Systems †," *Electronics (Switzerland)*, vol. 12, no. 13, hlm. 1–14, 2023, doi: 10.3390/electronics12132973.
- [30] Y. Guo, "A Comprehensive Review of Deep Learning Methods and Applications," *Deep learning for visual understanding*, hlm. 7–58, 2017, [Daring]. Tersedia pada: <https://linkinghub.elsevier.com/retrieve/pii/S0925231215017634>
- [31] S. R. Dubey, S. K. Singh, dan B. B. Chaudhuri, "Activation functions in deep learning: A comprehensive survey and benchmark," *Neurocomputing*, vol. 503, hlm. 92–108, 2022, doi: 10.1016/j.neucom.2022.06.111.

- [32] V. Shatravin, D. Shashev, dan S. Shidlovskiy, "Implementation of the SoftMax Activation for Reconfigurable Neural Network Hardware Accelerators," *Applied Sciences (Switzerland)*, vol. 13, no. 23, 2023, doi: 10.3390/app132312784.
- [33] U. Otokwala, A. Petrovski, dan H. Kalutarage, "Optimized common features selection and deep-autoencoder (OCFSDA) for lightweight intrusion detection in Internet of things," *Int. J. Inf. Secur.*, vol. 23, no. 4, hlm. 2559–2581, 2024, doi: 10.1007/s10207-024-00855-7.
- [34] I. Marin, A. K. Skelin, dan T. Grujic, "Empirical evaluation of the effect of optimization and regularization techniques on the generalization performance of deep convolutional neural network," *Applied Sciences (Switzerland)*, vol. 10, no. 21, hlm. 1–30, 2020, doi: 10.3390/app10217817.
- [35] S. Friedrich, A. Groll, K. Ickstadt, *dkk.*, "Regularization approaches in clinical biostatistics: A review of methods and their applications," *Stat. Methods Med. Res.*, vol. 32, no. 2, hlm. 425–440, 2023, doi: 10.1177/09622802221133557.
- [36] C. F. G. Dos Santos dan J. P. Papa, "Avoiding Overfitting: A Survey on Regularization Methods for Convolutional Neural Networks," *ACM Comput. Surv.*, vol. 54, no. 10 s, 2022, doi: 10.1145/3510413.
- [37] G. R., "A Novel Method for improving accuracy in neural network by reinstating traditional back propagation technique," 2023, [Daring]. Tersedia pada: <http://arxiv.org/abs/2308.05059>
- [38] C. Li, K. Liu, dan S. Liu, "A Survey of Loss Functions in Deep Learning," *Mathematics*, vol. 13, no. 15, hlm. 1–50, 2025, doi: 10.3390/math13152417.
- [39] J. A. Vayssade dan M. Bonneau, "Puzzle: taking livestock tracking to the next level," *Sci. Rep.*, vol. 14, no. 1, hlm. 1–17, 2024, doi: 10.1038/s41598-024-69058-3.
- [40] D. P. Kingma dan J. L. Ba, "Adam: A method for stochastic optimization," *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, hlm. 1–15, 2015.
- [41] I. Loshchilov dan F. Hutter, "Decoupled weight decay regularization," *7th International Conference on Learning Representations, ICLR 2019*, 2019.
- [42] R. Naushad dan T. Kaur, "Deep Transfer Learning for Land Use and Land Cover," *Sensors*, hlm. 1–13, 2021.
- [43] R. Patil, S. Boit, V. Gudivada, *dkk.*, "A Survey of Text Representation and Embedding Techniques in NLP," *IEEE Access*, vol. 11, hlm. 36120–36146, 2023, doi: 10.1109/ACCESS.2023.3266377.
- [44] D. Khurana, A. Koli, K. Khatter, *dkk.*, "Natural language processing: state of the art, current trends and challenges | SpringerLink," hlm. 3713–3744, 2021, [Daring]. Tersedia pada: <https://link.springer.com/article/10.1007/s11042-022-13428-4>
- [45] C. P. Chai, "Comparison of text preprocessing methods," *Nat. Lang. Eng.*, vol. 29, no. 3, hlm. 509–553, 2023, doi: 10.1017/S1351324922000213.
- [46] E. Sezerer dan S. Tekir, "A Survey On Neural Word Embeddings," 2021, [Daring]. Tersedia pada: <http://arxiv.org/abs/2110.01804>
- [47] M. Nesca, A. Katz, C. K. Leung, *dkk.*, "A scoping review of preprocessing methods for unstructured text data to assess data quality," *Int. J. Popul. Data Sci.*, vol. 0, hlm. 1–15, 2022.
- [48] O. Zaoui Seghroucheni, M. Lazaar, dan M. Al Achhab, "Using AI and NLP for Tacit Knowledge Conversion in Knowledge Management Systems: A Comparative Analysis," *Technologies (Basel)*, vol. 13, no. 2, hlm. 1–17, 2025, doi: 10.3390/technologies13020087.
- [49] Y. Zhang, Z. Lin, C. C. chiu Tong, *dkk.*, "Enhancing tokenization accuracy with dynamic patterns: cumulative logic for segmenting user-generated content in

- logographic languages,” *J. Comput. Soc. Sci.*, vol. 8, no. 3, hlm. 1–24, 2025, doi: 10.1007/s42001-025-00406-7.
- [50] L. Michelbacher, “Multi-Word Tokenization for Natural Language Processing,” *Fakultas Universitas Informatik, Elektrotechnik und Informationstechnik*, vol. Ph.D., hlm. 1–190, 2013.
- [51] A. Nayak, H. Timmapathini, K. Ponnalagu, *dkk.*, “Domain adaptation challenges of BERT in tokenization and sub-word representations of Out-of-Vocabulary words,” hlm. 1–5, 2020, doi: 10.18653/v1/2020.insights-1.1.
- [52] X. Song, A. Salcianu, Y. Song, *dkk.*, “Fast WordPiece Tokenization,” *EMNLP 2021 - 2021 Conference on Empirical Methods in Natural Language Processing, Proceedings*, hlm. 2089–2103, 2021, doi: 10.18653/v1/2021.emnlp-main.160.
- [53] A. Arseniev-Koehler, “Theoretical Foundations and Limits of Word Embeddings: What Types of Meaning can They Capture?,” *Sociol. Methods Res.*, vol. 53, no. 4, hlm. 1753–1793, 2024, doi: 10.1177/00491241221140142.
- [54] M. Apidianaki, “From Word Types to Tokens and Back: A Survey of Approaches to Word Meaning Representation and Interpretation,” *Computational Linguistics*, vol. 49, no. 2, hlm. 465–523, 2023, doi: 10.1162/coli_a_00474.
- [55] J. Wang dan Y. Dong, “Measurement of text similarity: A survey,” *Information (Switzerland)*, vol. 11, no. 9, hlm. 1–17, 2020, doi: 10.3390/info11090421.
- [56] B. E. S. Dewi, “Pengukuran Kemiripan Kalimat Bahasa Indonesia Menggunakan Representasi Word Embedding FastText,” *Jurnal Teknologi Informasi dan Digital (TRIDI)*, vol. 2, no. 2, hlm. 20–29, 2025.
- [57] T. Mikolov, I. Sutskever, K. Chen, *dkk.*, “Distributed representations of words and phrases and their compositionality,” *Adv. Neural Inf. Process. Syst.*, hlm. 1–9, 2013.
- [58] A. Bhardwaj, R. Hasan, dan S. Mahmood, “Semantic similarity in community forum questions: Case study on Quora dataset,” *Journal of Umm Al-Qura University for Engineering and Architecture*, hlm. 1719–1728, 2025, doi: 10.1007/s43995-025-00206-0.
- [59] A. Aboutaleb, A. Fayed, D. Ismail, *dkk.*, “BERT BiLSTM-Attention Similarity Model,” *2021 IEEE International Conference on Artificial Intelligence and Computer Applications, ICAICA 2021*, hlm. 366–371, 2021, doi: 10.1109/ICAICA52286.2021.9498209.
- [60] T. Addair, “Duplicate Question Pair Detection with Deep Learning,” 2017.
- [61] N. P. Wong, T. H. F. Haromy, dan S. Efendi, “Development of a Hybrid Siamese and Feedforward Neural Networks Architecture for Semantic Text Similarity Measurement,” *Eastern-European Journal of Enterprise Technologies*, vol. 3, no. 2, hlm. 30–41, 2025, doi: 10.15587/1729-4061.2025.326956.
- [62] A. Abo-Elghit, A. Al-Zoghby, dan T. Hamza, “Textual Similarity Measurement Approaches: A Survey (1),” *The Egyptian Journal of Language Engineering*, vol. 0, no. 0, hlm. 0–0, 2020, doi: 10.21608/ejle.2020.42018.1012.
- [63] S. Boudaa, T. Boudaa, dan A. El Haddadi, “Semantic Textual Similarity: Overview and Comparative Study between Arabic and English,” *Computacion y Sistemas*, vol. 28, no. 3, hlm. 1209–1228, 2024, doi: 10.13053/CyS-28-3-5035.
- [64] N. Reimers dan I. Gurevych, “Sentence-BERT: Sentence embeddings using siamese BERT-networks,” *EMNLP-IJCNLP 2019 - 2019 Conference on Empirical Methods in Natural Language Processing and 9th International Joint Conference on Natural Language Processing, Proceedings of the Conference*, hlm. 3982–3992, 2019, doi: 10.18653/v1/d19-1410.
- [65] F. Ahmad dan D. M. Faisal, “A novel hybrid methodology for computing semantic similarity between sentences through various word senses,” *International Journal of*

- Cognitive Computing in Engineering*, vol. 3, no. December 2021, hlm. 58–77, 2022, doi: 10.1016/j.ijcce.2022.02.001.
- [66] W. Adouane, J. P. Bernardy, dan S. Dobnik, “Neural models for detecting binary semantic textual similarity for algerian and msa,” *ACL 2019 - 4th Arabic Natural Language Processing Workshop, WANLP 2019 - Proceedings of the Workshop*, no. 2, hlm. 78–87, 2019, doi: 10.18653/v1/w19-4609.
- [67] J. Devlin, M. W. Chang, K. Lee, *dkk.*, “BERT: Pre-training of deep bidirectional transformers for language understanding,” *NAACL HLT 2019 - 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference*, vol. 1, no. Mlm, hlm. 4171–4186, 2019.
- [68] A. Vaswani, N. Shazeer, N. Parmar, *dkk.*, “Attention is all you need,” *Adv. Neural Inf. Process. Syst.*, vol. 2017-Decem, no. Nips, hlm. 5999–6009, 2017.
- [69] M. E. Peters, S. Ruder, dan N. A. Smith, “To tune or not to tune? adapting pretrained representations to diverse tasks,” *ACL 2019 - 4th Workshop on Representation Learning for NLP, RepL4NLP 2019 - Proceedings of the Workshop*, hlm. 7–14, 2019, doi: 10.18653/v1/w19-4302.
- [70] O. Galal, A. H. Abdel-Gawad, dan M. Farouk, “Rethinking of BERT sentence embedding for text classification,” *Neural Comput. Appl.*, vol. 36, no. 32, hlm. 20245–20258, 2024, doi: 10.1007/s00521-024-10212-3.
- [71] S. Humeau, K. Shuster, M. A. Lachaux, *dkk.*, “Poly-encoders: architectures and pre-training strategies for fast and accurate multi-sentence scoring,” *8th International Conference on Learning Representations, ICLR 2020*, hlm. 1–14, 2020.
- [72] R. Xiong, Y. Yang, D. He, *dkk.*, “On layer normalization in the transformer architecture,” *37th International Conference on Machine Learning, ICML 2020*, vol. PartF16814, hlm. 10455–10464, 2020.
- [73] “Understanding Cross-Encoders: Architecture, Implementation, and Applications | by Chris Yan | Medium.” Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: <https://chrisyandata.medium.com/understanding-cross-encoders-architecture-implementation-and-applications-d70e6fcb240>
- [74] Y. Wu dan K. He, “Group Normalization,” *Int. J. Comput. Vis.*, vol. 128, no. 3, hlm. 742–755, 2020, doi: 10.1007/s11263-019-01198-w.
- [75] I. D. Mienye, T. G. Swart, dan G. Obaido, “Recurrent Neural Networks: A Comprehensive Review of Architectures, Variants, and Applications,” *Information (Switzerland)*, vol. 15, no. 9, hlm. 1–34, 2024, doi: 10.3390/info15090517.
- [76] M. Krichen dan A. Mihoub, “Long Short-Term Memory Networks: A Comprehensive Survey,” *AI (Switzerland)*, vol. 6, no. 9, hlm. 1–21, 2025, doi: 10.3390/ai6090215.
- [77] D. W. Otter, J. R. Medina, dan J. K. Kalita, “A Survey of the Usages of Deep Learning for Natural Language Processing,” *IEEE Trans. Neural Netw. Learn. Syst.*, vol. 32, no. 2, hlm. 604–624, 2021, doi: 10.1109/TNNLS.2020.2979670.
- [78] T. Young, D. Hazarika, S. Poria, *dkk.*, “Recent trends in deep learning based natural language processing [Review Article],” *IEEE Comput. Intell. Mag.*, vol. 13, no. 3, hlm. 55–75, 2018, doi: 10.1109/MCI.2018.2840738.
- [79] “Insights into LSTM architecture | Thorir Mar Ingolfsson.” Diakses: 13 Oktober 2025. [Daring]. Tersedia pada: https://thorirmar.com/post/insight_into_lstm/
- [80] V. V M, S. H. M P, R. Satheesh, *dkk.*, “AI-driven cybersecurity framework for anomaly detection in power systems,” *Sci. Rep.*, vol. 15, no. 1, hlm. 35506, 2025, doi: 10.1038/s41598-025-19634-y.
- [81] X. Y. Peng, L. G. Chen, K. J. Cao, *dkk.*, “Research on the Classification of Work Orders based on BERT and Feature Fusion Research on the Classification of Work

- Orders based on BERT and Feature Fusion,” 2024, doi: 10.20944/preprints202406.0613.v1.
- [82] P. Udomwong, T. Pamonsupornwicht, K. Kodchakorn, *dkk.*, “ParaDeep: sequence-based deep learning for residue-level paratope prediction using chain-aware BiLSTM-CNN models,” *Frontiers in Bioinformatics*, vol. 5, no. November, hlm. 1–19, 2025, doi: 10.3389/fbinf.2025.1684042.
- [83] S. Chaudhari, V. Mithal, G. Polatkan, *dkk.*, “An Attentive Survey of Attention Models,” *ACM Trans. Intell. Syst. Technol.*, vol. 12, no. 5, hlm. 1–33, 2021, doi: 10.1145/3465055.
- [84] D. Bahdanau, K. H. Cho, dan Y. Bengio, “Neural machine translation by jointly learning to align and translate,” *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, hlm. 1–15, 2015.
- [85] “Good Article Translation and Sharing — Attention Model | by Cecile Liu | Medium.” Diakses: 10 Januari 2026. [Daring]. Tersedia pada: <https://medium.com/@CecileLiu/good-article-translation-and-sharing-attention-model-292f04b07b8b>
- [86] “Evolution of Attention Mechanisms in NLP: From Additive to Self-Attention | by Abhay Kumar | Medium.” Diakses: 6 November 2025. [Daring]. Tersedia pada: <https://medium.com/@akanyaani/evolution-of-attention-mechanisms-in-nlp-from-additive-to-self-attention-01e265925899>
- [87] S. Yelisetti dan Nellore Geethanjali, “Aspect-based Text Classification for Sentimental Analysis using Attention mechanism with RU-BiLSTM,” *Scalable Computing: Practice and Experience*, vol. 24, no. 3, hlm. 299–314, 2023, doi: 10.12694/scpe.v24i3.2122.
- [88] H. M dan S. M.N, “A Review on Evaluation Metrics for Data Classification Evaluations,” *International Journal of Data Mining & Knowledge Management Process*, vol. 5, no. 2, hlm. 01–11, 2015, doi: 10.5121/ijdkp.2015.5201.
- [89] T. Saito dan M. Rehmsmeier, “The precision-recall plot is more informative than the ROC plot when evaluating binary classifiers on imbalanced datasets,” *PLoS One*, vol. 10, no. 3, hlm. 1–21, 2015, doi: 10.1371/journal.pone.0118432.
- [90] Jude Chukwura Obi, “A comparative study of several classification metrics and their performances on data,” *World Journal of Advanced Engineering Technology and Sciences*, vol. 8, no. 1, hlm. 308–314, 2023, doi: 10.30574/wjaets.2023.8.1.0054.
- [91] V. R. Joseph, “Optimal Ratio for Data Splitting,” hlm. 1–16, 2021.
- [92] “Quora Question Pairs for Information Retrieval.” Diakses: 17 Desember 2025. [Daring]. Tersedia pada: <https://www.kaggle.com/code/huikang/quora-question-pairs-for-information-retrieval>
- [93] P. Neculoiu, M. Versteegh, dan M. Rotaru, “Learning text similarity with siamese recurrent networks,” *Proceedings of the Annual Meeting of the Association for Computational Linguistics*, hlm. 148–157, 2016, doi: 10.18653/v1/w16-1617.
- [94] B. Yu, H. Guo, dan J. Shi, “Remaining useful life prediction based on hybrid CNN-BiLSTM model with dual attention mechanism,” *International Journal of Electrical Power and Energy Systems*, vol. 172, no. August, hlm. 111152, 2025, doi: 10.1016/j.ijepes.2025.111152.
- [95] M. Li, Z. Jiang, Z. Zhao, *dkk.*, “A PERT-BiLSTM-Att Model for Online Public Opinion Text Sentiment Analysis,” *Intelligent Automation and Soft Computing*, vol. 37, no. 2, hlm. 2387–2406, 2023, doi: 10.32604/iasc.2023.037900.
- [96] M. P. Akhter, Z. Jiangbin, I. R. Naqvi, *dkk.*, “Exploring deep learning approaches for Urdu text classification in product manufacturing,” *Enterp. Inf. Syst.*, vol. 16, no. 2, hlm. 223–248, 2022, doi: 10.1080/17517575.2020.1755455.

- [97] T. Scheepers, E. Kanoulas, dan E. Gavves, “Improving word embedding compositionality using lexicographic definitions,” *The Web Conference 2018 - Proceedings of the World Wide Web Conference, WWW 2018*, no. April 2018, hlm. 1083–1093, 2018, doi: 10.1145/3178876.3186007.
- [98] Z. Hameed dan B. Garcia-Zapirain, “Sentiment Classification Using a Single-Layered BiLSTM Model,” *IEEE Access*, vol. 8, hlm. 73992–74001, 2020, doi: 10.1109/ACCESS.2020.2988550.
- [99] S. Gonçalves, P. Cortez, dan S. Moro, “A deep learning classifier for sentence classification in biomedical and computer science abstracts,” *Neural Comput. Appl.*, vol. 32, no. 11, hlm. 6793–6807, 2020, doi: 10.1007/s00521-019-04334-2.
- [100] S. Wang, Y. Zhu, W. Gao, *dkk.*, “Emotion-semantic-enhanced bidirectional LSTM with multi-head attention mechanism for microblog sentiment analysis,” *Information (Switzerland)*, vol. 11, no. 5, 2020, doi: 10.3390/INFO11050280.
- [101] A. Kumar, V. T. Narapareddy, V. A. Srikanth, *dkk.*, “Sarcasm Detection Using Multi-Head Attention Based Bidirectional LSTM,” *IEEE Access*, vol. 8, hlm. 6388–6397, 2020, doi: 10.1109/ACCESS.2019.2963630.
- [102] L. Xu, A. Cuesta-infante, L. Berti-equille, *dkk.*, “R & R : Metric-guided Adversarial Sentence Generation,” hlm. 438–452, 2022.
- [103] J. Yoon dan H. Kim, “Multi-channel lexicon integrated CNN-BiLSTM models for sentiment analysis,” *Proceedings of the 29th Conference on Computational Linguistics and Speech Processing, ROCLING 2017*, hlm. 244–253, 2017.
- [104] S. Murugan dan B. Sadhu Ramakrishnan, “Automatic Morpheme-based Distractors Generation for Fill-in-the-Blank Questions using Listwise Learning-To-Rank Method for Agglutinative Language,” *Engineering Science and Technology, an International Journal*, vol. 26, hlm. 100993, 2022, doi: 10.1016/j.jestch.2021.04.012.
- [105] N. Daheim, C. Meister, T. Möllenhoff, *dkk.*, “Uncertainty-Aware Decoding With Minimum Bayes Risk,” *13th International Conference on Learning Representations, ICLR 2025*, hlm. 42513–42535, 2025.
- [106] D. Ponce, H. Gete, dan T. Etchegoyhen, “Vicomtech@WMT 2024: Shared Task on Translation into Low-Resource Languages of Spain,” *Conference on Machine Translation - Proceedings*, vol. 2024-Novem, hlm. 934–942, 2024, doi: 10.18653/v1/2024.wmt-1.91.
- [107] Y. Zou, H. Liu, T. Gui, *dkk.*, “Divide and Conquer: Text Semantic Matching with Disentangled Keywords and Intents,” *Proceedings of the Annual Meeting of the Association for Computational Linguistics*, hlm. 3622–3632, 2022, doi: 10.18653/v1/2022.findings-acl.287.
- [108] S. Blume, T. Benedens, dan D. Schramm, “Hyperparameter optimization techniques for designing software sensors based on artificial neural networks,” *Sensors*, vol. 21, no. 24, 2021, doi: 10.3390/s21248435.
- [109] I. Tenney, P. Xia, B. Chen, *dkk.*, “What do you learn from context? Probing for sentence structure in contextualized word representations,” *7th International Conference on Learning Representations, ICLR 2019*, hlm. 1–17, 2019.
- [110] P. Zhou, W. Shi, J. Tian, *dkk.*, “Attention-based bidirectional long short-term memory networks for relation classification,” *54th Annual Meeting of the Association for Computational Linguistics, ACL 2016 - Short Papers*, hlm. 207–212, 2016, doi: 10.18653/v1/p16-2034.
- [111] Y. Wang, M. Huang, L. Zhao, *dkk.*, “Attention-based LSTM for aspect-level sentiment classification,” *EMNLP 2016 - Conference on Empirical Methods in Natural Language Processing, Proceedings*, hlm. 606–615, 2016, doi: 10.18653/v1/d16-1058.

- [112] Z. Yang, D. Yang, C. Dyer, *dkk.*, “Hierarchical attention networks for document classification. 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies,” *2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL HLT 2016 - Proceedings of the Conference*, hlm. 1480–1489, 2016.

