

DAFTAR PUSTAKA

- [1] E. Anderson, E. Siegel, D. White, and L. F. Barrett, "Out of sight but not out of mind: Unseen affective faces influence evaluations and social impressions," *Emotion*, vol. 12, no. 6, pp. 1210–1221, Dec. 2012, doi: 10.1037/a0027514.
- [2] R. Heesen *et al.*, "Impact of social context on human facial and gestural emotion expressions," *iScience*, vol. 27, no. 11, Nov. 2024, doi: 10.1016/j.isci.2024.110663.
- [3] D. Dablain, K. N. Jacobson, C. Bellinger, M. Roberts, and N. V. Chawla, "Understanding CNN fragility when learning with imbalanced data," *Mach. Learn.*, vol. 113, no. 7, pp. 4785–4810, Jul. 2024, doi: 10.1007/s10994-023-06326-9.
- [4] Muhammad Fakhri Fadhlurrahman, Munir, and Yaya Wihardi, "Pengenal Ekspresi Wajah Peserta Didik di Ruang Kelas Menggunakan Vision Transformer (ViT)," *Jurnal Komputer Teknologi Informasi Sistem Informasi (JUKTISI)*, vol. 4, no. 2, pp. 1047–1058, Aug. 2025, doi: 10.62712/juktisi.v4i2.531.
- [5] D. Prasetyawan and R. Gatra, "Model Convolutional Neural Network untuk Mengukur Kepuasan Pelanggan Berdasarkan Ekspresi Wajah," *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 8, no. 3, Dec. 2022, doi: 10.28932/jutisi.v8i3.5493.
- [6] A. Talukder and S. Ghosh, "Facial Image expression recognition and prediction system," *Sci. Rep.*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-79146-z.
- [7] R. Julianto and D. Alamsyah, "PENGENALAN EKSPRESI WAJAH MENGGUNAKAN METODE SVM DENGAN TRANSFORMASI FOURIER DAN PCA," vol. 2, no. 1, 2021.
- [8] S. Belhekar, P. Patil, S. Hulule, T. Ghare, and D. Dhawase, "International Conference on Communication and Information Processing Emotion Detection Using Deep Learning," 2023. [Online]. Available: <https://ssrn.com/abstract=4671972>
- [9] F. Marpaung, F. Aulia, N. Suryani SKom, and R. Cyra Nabila SKom, *COMPUTER VISION DAN PENGOLAHAN CITRA DIGITAL*. [Online]. Available: www.pustakaaksara.co.id
- [10] B. Li and D. Lima, "Facial expression recognition via ResNet-50," *International Journal of Cognitive Computing in Engineering*, vol. 2, pp. 57–64, Jun. 2021, doi: 10.1016/j.ijcce.2021.02.002.
- [11] Y. Yanzhao, W. Jian, H. Huangshui, and C. Yu, "Robust Driver Facial Expression Recognition Based on Multi-Scale Feature Interaction and Illumination Balance," *IET Image Process.*, vol. 20, no. 1, Jan. 2026, doi: 10.1049/ipr2.70376.
- [12] S. Ashillah, S. A. Gulo, Y. Rahmi, D. Yandra Niska, and S. Adventino Gulo, "Implementasi Algoritma Pengolahan Citra Digital untuk Perbaikan Kualitas Gambar." doi: <https://doi.org/10.47970/siskom-kb.v8i3.823>.
- [13] A. Kaur, "Overview of Digital Image Processing." [Online]. Available: www.ijfmr.com
- [14] D. Hwang, J. J. Kim, S. Moon, and S. Wang, "Image Augmentation Approaches for Building

Dimension Estimation in Street View Images Using Object Detection and Instance Segmentation Based on Deep Learning,” *Applied Sciences (Switzerland)*, vol. 15, no. 5, Mar. 2025, doi: 10.3390/app15052525.

- [15] Mr. P. S. Parsania and Dr. P. V. Virparia, “A Comparative Analysis of Image Interpolation Algorithms,” *IJARCCCE*, vol. 5, no. 1, pp. 29–34, Jan. 2016, doi: 10.17148/ijarcce.2016.5107.
- [16] H. A. Shehu, W. N. Browne, and H. Eisenbarth, “Emotion categorization from facial expressions: A review of datasets, methods, and research directions,” Apr. 01, 2025, *Elsevier B.V.* doi: 10.1016/j.neucom.2025.129367.
- [17] R. C. . Gonzalez and R. E. . Woods, *Digital image processing*. Pearson, 2018.
- [18] Itu-r, “Recommendation ITU-R BT.709-6 Parameter values for the HDTV standards for production and international programme exchange BT Series Broadcasting service (television).” [Online]. Available: <http://www.itu.int/ITU-R/go/patents/en>
- [19] I. D. Mienye and T. G. Swart, “A Comprehensive Review of Deep Learning: Architectures, Recent Advances, and Applications,” *Information (Switzerland)*, vol. 15, no. 12, Dec. 2024, doi: 10.3390/info15120755.
- [20] Nisha.C.M and N. Thangarasu, “Deep learning algorithms and their relevance: A review,” *International Journal of Data Informatics and Intelligent Computing*, vol. 2, no. 4, pp. 1–10, Nov. 2023, doi: 10.59461/ijdiic.v2i4.78.
- [21] J. Liu and Y. Jin, “A comprehensive survey of robust deep learning in computer vision,” Nov. 01, 2023, *KeAi Communications Co.* doi: 10.1016/j.jai.2023.10.002.
- [22] M. Krichen, “Convolutional Neural Networks: A Survey,” *Computers*, vol. 12, no. 8, Aug. 2023, doi: 10.3390/computers12080151.
- [23] X. Pan, Z. Luo, and L. Zhou, “Comprehensive Survey of State-of-the-Art Convolutional Neural Network Architectures and Their Applications in Image Classification,” *Innovations in Applied Engineering and Technology*, pp. 1–16, Mar. 2022, doi: 10.62836/iaet.v1i1.1006.
- [24] A. Monzurul Islam, “Exploring Convolutional Neural Networks for Facial Expression Recognition: A Comprehensive Survey,” 2024, doi: <https://doi.org/10.62304/jieet.v3i02.87>.
- [25] GeeksforGeeks, “What is Forward Propagation in Neural Networks.” Accessed: Jul. 07, 2026. [Online]. Available: <https://www.geeksforgeeks.org/deep-learning/what-is-forward-propagation-in-neural-networks/>
- [26] R. Mo, “A Survey of Image Classification Algorithms based on Convolution Neural Network,” 2022. doi: 10.54097/hset.v15i.2222.
- [27] A. N. AZIZAH, “KLASIFIKASI PENYAKIT DIABETIC RETINOPATHY MENGGUNAKAN METODE CONVOLUTIONAL NEURAL NETWORK (CNN) MODEL DEEP RESIDUAL NETWORK (RESNET),” 2021. Accessed: Jul. 07, 2026. [Online]. Available: https://www.academia.edu/86397224/Klasifikasi_penyakit_Diabetic_Retinopathy_menggu

nakan_Metode_Convolutional_Neural_Network_CNN_Model_Deep_Residual_Network_Resnet_

- [28] J. Davis and L. Frank, "Revisiting Batch Norm Initialization," Jul. 2022, [Online]. Available: <http://arxiv.org/abs/2110.13989>
- [29] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition." [Online]. Available: <http://image-net.org/challenges/LSVRC/2015/>
- [30] Y. Bai, "RELU-Function and Derived Function Review," *SHS Web of Conferences*, vol. 144, p. 02006, 2022, doi: 10.1051/shsconf/202214402006.
- [31] M. Yani, B. Irawan, and C. Setiningsih, "Application of Transfer Learning Using Convolutional Neural Network Method for Early Detection of Terry's Nail," in *Journal of Physics: Conference Series*, Institute of Physics Publishing, May 2019. doi: 10.1088/1742-6596/1201/1/012052.
- [32] Zoumana Keita, "Mastering Backpropagation: A Comprehensive Guide for Neural Networks." Accessed: Jul. 07, 2026. [Online]. Available: <https://www.datacamp.com/tutorial/mastering-backpropagation>
- [33] S. Nurdianti, M. K. Najib, F. Bukhari, R. Revina, and F. N. Salsabila, "PERFORMANCE COMPARISON OF GRADIENT-BASED CONVOLUTIONAL NEURAL NETWORK OPTIMIZERS FOR FACIAL EXPRESSION RECOGNITION," *Barekeng*, vol. 16, no. 3, pp. 927–938, Sep. 2022, doi: 10.30598/barekengvol16iss3pp927-938.
- [34] F. MARPAUNG, "KLASIFIKASI DAUN TEH SIAP PANEN MENGGUNAKAN CNN DENGAN ARSITEKTUR MOBILENETV2", Accessed: Jun. 02, 2026. [Online]. Available: <https://repositori.uma.ac.id/jspui/bitstream/123456789/22248/2/188160032%20-%20Febri%20Marpaung%20-%20Fulltext.pdf>
- [35] M. A. K. Raiaan *et al.*, "A systematic review of hyperparameter optimization techniques in Convolutional Neural Networks," Jun. 01, 2024, *Elsevier Inc.* doi: 10.1016/j.dajour.2024.100470.
- [36] S. V Georgakopoulos and V. P. Plagianakos, "A Novel Adaptive Learning Rate Algorithm for Convolutional Neural Network Training." doi: 10.1007/978-3-319-65172-9_28.
- [37] N. Srivastava, G. Hinton, A. Krizhevsky, and R. Salakhutdinov, "Dropout: A Simple Way to Prevent Neural Networks from Overfitting," 2014.
- [38] B. M. Hussein and S. M. Shareef, "An Empirical Study on the Correlation between Early Stopping Patience and Epochs in Deep Learning," *ITM Web of Conferences*, vol. 64, p. 01003, 2024, doi: 10.1051/itmconf/20246401003.
- [39] Y. Sun, "A Comparative Study of Facial Expression Recognition Based on Deep Residual Networks," *Academic Journal of Computing & Information Science*, vol. 9, pp. 80–86, doi: 10.25236/AJCIS.2026.090110.

- [40] A. A. Istiqomah, C. A. Sari, A. Susanto, and H. Rachmawanto, "Facial Expression Recognition using Convolutional Neural Networks with Transfer Learning Resnet-50," 2024. [Online]. Available: <http://jurnal.polibatam.ac.id/index.php/JAIC>
- [41] H. U. Rehman and A. Basit, "Logical Creations Education Research Institute LC INTERNATIONAL JOURNAL OF STEM Automated Robust Facial Expression Recognition using Transfer Learning ResNet50," 2024, doi: 10.5281/zenodo.13920706.
- [42] E. Kavanagh, J. Whitehouse, and B. M. Waller, "Being facially expressive is socially advantageous," *Sci. Rep.*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-62902-6.
- [43] C. M. Klingner and O. Guntinas-Lichius, "Mimik und Emotion," *Laryngorhinootologie.*, vol. 102, no. S 01, pp. S115–S125, May 2023, doi: 10.1055/a-2003-5687.
- [44] M. Ramdhany Edy, "Deteksi Emosi dari Ekspresi Wajah dengan Deep Learning," *INTEC Journal: Information Technology Education Journal*, vol. 3, no. 2, 2024.
- [45] S. Sathyanarayanan, "Confusion Matrix-Based Performance Evaluation Metrics," *African Journal of Biomedical Research*, pp. 4023–4031, Nov. 2024, doi: 10.53555/ajbr.v27i4s.4345.
- [46] S. Kom. , M. K. Dr. Maria Susan Anggreany, "Confusion Matrix," School of Computer Science, BINUS University. Accessed: Jul. 07, 2026. [Online]. Available: <https://socs.binus.ac.id/2020/11/01/confusion-matrix/>
- [47] Google Developers, "ROC dan AUC (Machine Learning Crash Course)." Accessed: Jul. 07, 2026. [Online]. Available: <https://developers.google.com/machine-learning/crash-course/classification/roc-and-auc?hl=id>
- [48] F. A. Irany and S. Akwafuo, "From Generative Modeling to Clinical Classification: A GPT-Based Architecture for EHR Notes," Feb. 2026, [Online]. Available: <http://arxiv.org/abs/2601.21955>
- [49] Y. S. Aldabayan, "Pneumonia and pneumothorax detection: A multi-factor evaluation of chest X-rays," *PLoS One*, vol. 21, no. 1 January, Jan. 2026, doi: 10.1371/journal.pone.0341060.