

DAFTAR PUSTAKA

- [1] M. Nurmalasari, N. A. Temesvari, and ..., “Analisis Sentimen terhadap Opini Masyarakat dalam Penggunaan Mobile-JKN untuk Pelayanan BPJS Kesehatan Tahun 2019,” *Indones. Heal. ...*, vol. 8, no. 1, pp. 35–44, 2020, [Online]. Available: <https://inohim.esaunggul.ac.id/index.php/INO/article/view/208>
- [2] L. Muliawaty, K. Alamsyah, U. Salamah, and D. S. Maylawati, “The concept of big data in bureaucratic service using sentiment analysis,” *Int. J. Sociotechnology Knowl. Dev.*, vol. 11, no. 3, pp. 1–13, 2019, doi: 10.4018/IJSKD.2019070101.
- [3] M. S. Alam, M. S. H. Mrida, and M. A. Rahman, “SENTIMENT ANALYSIS IN SOCIAL MEDIA: HOW DATA SCIENCE IMPACTS PUBLIC OPINION KNOWLEDGE INTEGRATES NATURAL LANGUAGE PROCESSING (NLP) WITH ARTIFICIAL INTELLIGENCE (AI),” *Am. J. Sch. Res. Innov.*, vol. 4, no. 1, pp. 63–100, Jan. 2025, doi: 10.63125/r3sq6p80.
- [4] T. Masiya and S. Lubinga, “The Influence of Social Media on the Transparency and Accountability of the South African Public Sector,” *Stud. Media Commun.*, vol. 11, no. 7, pp. 42–56, 2023, doi: 10.11114/SMC.V11I7.6151.
- [5] A. F. Hidayatullah, R. A. Apong, D. T. C. Lai, and A. Qazi, “Pre-trained language model for code-mixed text in Indonesian, Javanese, and English using transformer,” *Soc. Netw. Anal. Min.*, vol. 15, no. 1, 2025, doi: 10.1007/s13278-025-01444-9.
- [6] L. Geni, E. Yulianti, and D. I. Sensuse, “Sentiment Analysis of Tweets Before the 2024 Elections in Indonesia Using IndoBERT Language Models,” *J. Ilm. Tek. Elektro Komput. dan Inform.*, vol. 9, no. 3, pp. 746–757, 2023, doi: 10.26555/jiteki.v9i3.26490.
- [7] A. F. Hidayatullah, “Code-Mixed Sentiment Analysis on Indonesian-Javanese-English Text Using Transformer Models,” *2024 8th Int. Conf. Inf. Technol. Inf. Syst. Electr. Eng. ICITISEE 2024*, no. August, pp. 340–345, 2024, doi: 10.1109/ICITISEE63424.2024.10730138.
- [8] R. I. Perwira, V. A. Permadi, D. I. Purnamasari, and R. P. Agusdin, “Domain-Specific Fine-Tuning of IndoBERT for Aspect-Based Sentiment Analysis in Indonesian Travel User-Generated Content,” *J. Inf. Syst. Eng. Bus. Intell.*, vol. 11, no. 1, pp. 30–40, 2025, doi: 10.20473/jisebi.11.1.30-40.
- [9] M. I. Sari and L. H. Suadaa, “Study of the Application of Text Augmentation with Paraphrasing to Overcome Imbalanced Data in Indonesian Text Classification,” *J. Online Inform.*, vol. 10, no. 1, pp. 132–142, 2025, doi: 10.15575/join.v10i1.1472.
- [10] N. Alamsyah, Saparudin, and A. P. Kurniati, “Event Detection Optimization Through Stacking Ensemble and BERT Fine-tuning for Dynamic Pricing of Airline Tickets,” *IEEE Access*, vol. 12, no. October, pp. 145254–145269, 2024, doi: 10.1109/ACCESS.2024.3466270.
- [11] W. Wongso, H. Lucky, and D. Suhartono, “Pre-trained transformer-based language models for Sundanese,” *J. Big Data*, vol. 9, no. 1, p. 39, Dec. 2022, doi: 10.1186/s40537-022-00590-7.

- [12] N. Crosley and I. Wasito, "Improving IT Support Efficiency Using AI-Driven Ticket Random Forest Classification Technique," *Sinkron*, vol. 8, no. 4, pp. 2283–2293, 2023, doi: 10.33395/sinkron.v8i4.12925.
- [13] R. Ahamad and K. N. Mishra, "Exploring sentiment analysis in handwritten and E-text documents using advanced machine learning techniques: a novel approach," *J. Big Data*, vol. 12, no. 1, 2025, doi: 10.1186/s40537-025-01064-2.
- [14] N. Kewsuwun and S. Kajornkasirat, "A sentiment analysis model of agritech startup on Facebook comments using naive Bayes classifier," *Int. J. Electr. Comput. Eng.*, vol. 12, no. 3, pp. 2829–2838, 2022, doi: 10.11591/ijece.v12i3.pp2829-2838.
- [15] J. O. Ojadi, E. C. Onukwulu, C. S. Odionu, and O. A. Owulade, "Natural language processing for climate change policy analysis and public sentiment prediction: A data-driven approach to sustainable decision-making," *IRE Journals*, vol. 7, no. 3, pp. 731–733, 2023.
- [16] R. Srivastava, P. K. Bharti, and P. Verma, "Comparative Analysis of Lexicon and Machine Learning Approach for Sentiment Analysis," *Int. J. Adv. Comput. Sci. Appl.*, vol. 13, no. 3, pp. 71–77, 2022, doi: 10.14569/IJACSA.2022.0130312.
- [17] Z. Tang, X. Pan, and Z. Gu, "Analyzing public demands on China's online government inquiry platform: A BERTopic-Based topic modeling study," *PLoS One*, vol. 19, no. 2 February, pp. 1–26, 2024, doi: 10.1371/journal.pone.0296855.
- [18] T. B. Chiyangwa, J. van Biljon, and K. Renaud, "Natural Language Processing Techniques to Reveal Human-Computer Interaction for Development Research Topics," pp. 1–7, 2021, doi: 10.1145/3487923.3487932.
- [19] M. Treviso *et al.*, "Efficient Methods for Natural Language Processing: A Survey," *Trans. Assoc. Comput. Linguist.*, vol. 11, pp. 826–860, 2023, doi: 10.1162/tacl_a_00577.
- [20] T. Ma, W. Wang, and Y. Chen, "Attention is all you need: An interpretable transformer-based asset allocation approach," *Int. Rev. Financ. Anal.*, vol. 90, no. January, 2023, doi: 10.1016/j.irfa.2023.102876.
- [21] C. Yeh, Y. Chen, A. Wu, C. Chen, F. Viegas, and M. Wattenberg, "AttentionViz: A Global View of Transformer Attention," *IEEE Trans. Vis. Comput. Graph.*, vol. 30, no. 1, pp. 262–272, 2024, doi: 10.1109/TVCG.2023.3327163.
- [22] T. Gelar, A. Nanda, and A. Bakhrun, "Serverless Named Entity Recognition untuk Teks Instruksional Pertanian Kota," *J. Tek. Inform. dan Sist. Inf.*, vol. 8, no. 3, pp. 597–606, 2022, doi: 10.28932/jutisi.v8i3.5447.
- [23] M. A. Rahmat, Karmila, H. M. Khatami, and Muhammad Alief Fahdal Imran Oemar, "Penerapan Model BERT pada Chatbot dalam Platform E-Commerce," *Adopsi Teknol. dan Sist. Inf.*, vol. 4, no. 1, pp. 72–79, 2025, doi: 10.30872/atasi.v4i1.3039.
- [24] G. Z. Nabiilah, S. Y. Prasetyo, Z. N. Izdiyar, and A. S. Girsang, "BERT base model for toxic comment analysis on Indonesian social media," *Procedia Comput. Sci.*, vol. 216, no. 2022, pp. 714–721, 2022, doi: 10.1016/j.procs.2022.12.188.
- [25] H. Jayadianti, W. Kaswidjanti, A. T. Utomo, S. Saifullah, F. A. Dwiyanto, and R. Drezewski, "Sentiment analysis of Indonesian reviews using fine-tuning IndoBERT and R-CNN," *Ilk. J. Ilm.*, vol. 14, no. 3, pp. 348–354, 2022, doi:

- [26] G. Z. Nabiilah, I. N. Alam, E. S. Purwanto, and M. F. Hidayat, "Indonesian multilabel classification using IndoBERT embedding and MBERT classification," *Int. J. Electr. Comput. Eng.*, vol. 14, no. 1, pp. 1071–1078, 2024, doi: 10.11591/ijece.v14i1.pp1071-1078.
- [27] Q. Yang, Y. Zhang, W. Dai, and S. J. Pan, "Transfer Learning in Natural Language Processing," in *Transfer Learning*, vol. 1, no. 2, Cambridge University Press, 2020, pp. 234–256. doi: 10.1017/9781139061773.020.
- [28] J. A. Lossio-Ventura *et al.*, "A Comparison of ChatGPT and Fine-Tuned Open Pre-Trained Transformers (OPT) Against Widely Used Sentiment Analysis Tools: Sentiment Analysis of COVID-19 Survey Data," *JMIR Ment. Heal.*, vol. 11, no. 1, pp. 1–17, 2024, doi: 10.2196/50150.
- [29] S. Joseph, A. G. Parthi, D. Maruthavanan, V. Jayaram, P. K. Veerapaneni, and V. Parlapalli, "Transfer Learning in Natural Language Processing," *Int. Conf. Inf. Commun. Technol. ICOIACT*, no. 2024, pp. 30–36, 2024, doi: 10.1109/ICOIACT64819.2024.10912895.
- [30] Q. Yang, Y. Zhang, W. Dai, and S. J. Pan, "Transfer Learning in Natural Language Processing," *Transf. Learn.*, no. February, pp. 234–256, 2020, doi: 10.1017/9781139061773.020.
- [31] J. B. Prajapati *et al.*, "Artificial intelligence-assisted generative pretrained transformers for applications of ChatGPT in higher education among graduates," *SN Soc. Sci.*, vol. 4, no. 2, p. 19, Jan. 2024, doi: 10.1007/s43545-023-00818-0.
- [32] G. M. Toche Tchio, J. Kenfack, D. Kassegne, F. D. Menga, and S. S. Ouro-Djobo, "A Comprehensive Review of Supervised Learning Algorithms for the Diagnosis of Photovoltaic Systems, Proposing a New Approach Using an Ensemble Learning Algorithm," *Appl. Sci.*, vol. 14, no. 5, 2024, doi: 10.3390/app14052072.
- [33] T. A. Shaikh, T. Rasool, P. Verma, and W. A. Mir, "A fundamental overview of ensemble deep learning models and applications: systematic literature and state of the art," *Ann. Oper. Res.*, no. December, 2024, doi: 10.1007/s10479-024-06444-0.
- [34] N. Jalal, A. Mehmood, G. S. Choi, and I. Ashraf, "A novel improved random forest for text classification using feature ranking and optimal number of trees," *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 6, pp. 2733–2742, Jun. 2022, doi: 10.1016/j.jksuci.2022.03.012.
- [35] P. N. E. Nohuddin, W. M. U. Noormanshah, and Z. Zainol, "Content analytics based on random forest classification technique: An empirical evaluation using online news dataset," *Int. J. Adv. Appl. Sci.*, vol. 8, no. 2, pp. 77–84, 2021, doi: 10.21833/ijaas.2021.02.011.
- [36] S. Younis Ali and S. R. M. Zeebaree, "Smart Enterprises: The Integration of Cloud, AI, And Semantic Web for Transforming Digital Marketing," *Eng. Technol. J.*, vol. 10, no. 06, Jun. 2025, doi: 10.47191/etj/v10i06.18.
- [37] C. Eke, A. A. Norman, L. Shuib, F. Faith B., and Z. A. Long, "Random Forest-Based Classifier for Automatic Sarcasm Classification on Twitter Data Using Multiple Features," *J. Inf. Syst. Digit. Technol.*, vol. 4, no. 2, pp. 125–145, 2022, doi:

10.31436/jisdt.v4i2.345.

- [38] T. Zhu, "Analysis on the applicability of the random forest," *J. Phys. Conf. Ser.*, vol. 1607, no. 1, 2020, doi: 10.1088/1742-6596/1607/1/012123.
- [39] O. Alqaryouti, N. Siyam, A. Abdel Monem, and K. Shaalan, "Aspect-based sentiment analysis using smart government review data," *Appl. Comput. Informatics*, vol. 20, no. 1–2, pp. 142–161, 2024, doi: 10.1016/j.aci.2019.11.003.
- [40] B. N. Pikir, M. K. Anam, H. Asnal, Rahmaddeni, T. A. Fitri, and Hamdani, "Sentiment Analysis of Technology Utilization by Pekanbaru City Government Based on Community Interaction in Social Media," *JAIA - J. Artif. Intell. Appl.*, vol. 2, no. 1, pp. 32–40, 2021, doi: 10.33372/jaia.v2i1.795.
- [41] H. Choi, J. Kim, S. Joe, and Y. Gwon, "Evaluation of BERT and Albert sentence embedding performance on downstream NLP tasks," *Proc. - Int. Conf. Pattern Recognit.*, pp. 5482–5487, 2020, doi: 10.1109/ICPR48806.2021.9412102.
- [42] T. Saravanan, T. Jhaideep, and N. H. Bindu, "Detecting depression using Hybrid models created using Google's BERT and Facebook's Fast Text Algorithms," *2022 2nd Int. Conf. Adv. Comput. Innov. Technol. Eng. ICACITE 2022*, no. September, pp. 415–421, 2022, doi: 10.1109/ICACITE53722.2022.9823581.
- [43] J. L. Martinez-Rodriguez, A. Hogan, and I. Lopez-Arevalo, *Information Extraction meets the Semantic Web: A Survey*, vol. 11, no. 2. 2020. [Online]. Available: <http://prefix.cc>.
- [44] R. Qasim, W. H. Bangyal, M. A. Alqarni, and A. Ali Almazroi, "A Fine-Tuned BERT-Based Transfer Learning Approach for Text Classification," *J. Healthc. Eng.*, vol. 2022, 2022, doi: 10.1155/2022/3498123.
- [45] M. Pota, M. Ventura, H. Fujita, and M. Esposito, "Multilingual evaluation of pre-processing for BERT-based sentiment analysis of tweets," *Expert Syst. Appl.*, vol. 181, p. 115119, Nov. 2021, doi: 10.1016/j.eswa.2021.115119.
- [46] A. Jazuli, Widowati, and R. Kusumaningrum, "Aspect-based sentiment analysis on student reviews using the Indo-Bert base model," *E3S Web Conf.*, vol. 448, pp. 1–10, 2023, doi: 10.1051/e3sconf/202344802004.
- [47] N. J. Prottasha *et al.*, "Transfer Learning for Sentiment Analysis Using BERT Based Supervised Fine-Tuning," *Sensors*, vol. 22, no. 11, pp. 1–19, 2022, doi: 10.3390/s22114157.