

DAFTAR PUSTAKA

- [1] M. Zoran, R. Radvan, D. Savastru, and M. Tautan, "Urban Air Pollution Exposure Impact on COVID-19 Transmission in a Few Metropolitan Regions," *Sustain.*, vol. 16, no. 14, 2024, doi: 10.3390/su16146119.
- [2] L. V. Rueda-Torres, J. Warthon-Ascarza, and S. Pacsi-Valdivia, "Adjustment Criteria for Air-Quality Standards by Altitude: A Scoping Review with Regulatory Overview," *Int. J. Environ. Res. Public Health*, vol. 22, no. 7, pp. 1–20, 2025, doi: 10.3390/ijerph22071053.
- [3] L. Millaku, R. Imeri, and K. Letaj, "Impact of Air Pollution on Human Health: A Comprehensive Analysis in the Case of Pristina City, Kosovo," *Nat. Environ. Pollut. Technol.*, vol. 24, no. 4, 2025, doi: 10.46488/NEPT.2025.v24i04.D1766.
- [4] G.-P. Bălă, R.-M. Râjnoveanu, E. Tudorache, R. Motișan, and C. Oancea, "Air pollution exposure—the (in)visible risk factor for respiratory diseases," *Environ. Sci. Pollut. Res.*, vol. 28, no. 16, pp. 19615–19628, Apr. 2021, doi: 10.1007/s11356-021-13208-x.
- [5] Z. A. Hanami *et al.*, "Spatial–Temporal Changes in Air Pollutants in Four Provinces of Sumatra Island, Indonesia: Insights from Sentinel-5P Satellite Imagery," *Urban Sci.*, vol. 9, no. 2, 2025, doi: 10.3390/urbansci9020042.
- [6] A. F. B. Sajiwo, B. Rahmat, and A. Junaidi, "KLASIFIKASI INDEKS STANDAR PENCEMARAN UDARAN (ISPU) MENGGUNAKAN ALGORITMA XGBOOST DENGAN TEKNIK IMBALANCED DATA (SMOTE)," *J. Inform. dan Tek. Elektro Terap.*, vol. 12, no. 3, Aug. 2024, doi: 10.23960/jitet.v12i3.4699.
- [7] E. P. Nugroho, A. Anisyah, D. S. Al Fathin, M. N. Y. Amadudin, M. S. Ramadhani, and Yosafat, "Pemodelan Sistem Monitoring Kualitas Udara Pintar Berbasis Internet of Things dengan Pendekatan Machine Learning," *J. Teknol. Inf. dan Ilmu Komput.*, vol. 12, no. 2, pp. 469–480, Apr. 2025, doi: 10.25126/jtiik.2025129195.
- [8] S. Shine *et al.*, "Pregnant women's perception on the health effects of household air pollution in Rural Butajira, Ethiopia: a phenomenological qualitative study," *BMC Public Health*, vol. 23, no. 1, pp. 1–9, 2023, doi: 10.1186/s12889-023-16578-8.
- [9] Q. Liu, B. Cui, and Z. Liu, "Air Quality Class Prediction Using Machine Learning Methods Based on Monitoring Data and Secondary Modeling," *Atmosphere (Basel)*, vol. 15, no. 5, p. 553, Apr. 2024, doi: 10.3390/atmos15050553.
- [10] Y. Özüpak, F. Alpsalaz, and E. Aslan, "Air Quality Forecasting Using Machine Learning: Comparative Analysis and Ensemble Strategies for Enhanced Prediction," *Water, Air, Soil Pollut.*, vol. 236, no. 7, p. 464, Jul. 2025, doi: 10.1007/s11270-025-08122-8.
- [11] F. L. da Silva, Â. T. Fushita, M. B. da Cunha-Santino, and I. B. Júnior, "Advantages, disadvantages and methods of applying mathematical models to evaluate water quality in reservoirs: a systematic review," *Ambient. e Agua - An Interdiscip. J. Appl. Sci.*, vol. 17, no. 2, pp. 1–19, Apr. 2022, doi: 10.4136/ambi-agua.2804.
- [12] T. M. T. Lei, S. W. I. Siu, J. Monjardino, L. Mendes, and F. Ferreira, "Using Machine Learning Methods to Forecast Air Quality: A Case Study in Macao," *Atmosphere (Basel)*, vol. 13, no. 9, pp. 1–14, 2022, doi: 10.3390/atmos13091412.
- [13] H. A. Salman, A. Kalakech, and A. Steiti, "Random Forest Algorithm Overview," *Babylonian J. Mach. Learn.*, vol. 2024, pp. 69–79, Jun. 2024, doi: 10.58496/BJML/2024/007.
- [14] T. A. Shaikh, T. Rasool, P. Verma, and W. A. Mir, "A fundamental overview of

- ensemble deep learning models and applications: systematic literature and state of the art,” *Ann. Oper. Res.*, Dec. 2024, doi: 10.1007/s10479-024-06444-0.
- [15] H. Tian, H. Kong, and C. Wong, “A Novel Stacking Ensemble Learning Approach for Predicting PM2.5 Levels in Dense Urban Environments Using Meteorological Variables: A Case Study in Macau,” *Appl. Sci.*, vol. 14, no. 12, p. 5062, Jun. 2024, doi: 10.3390/app14125062.
- [16] A. Morshed-Bozorgdel, M. Kadkhodazadeh, M. Valikhan Anaraki, and S. Farzin, “A Novel Framework Based on the Stacking Ensemble Machine Learning (SEML) Method: Application in Wind Speed Modeling,” *Atmosphere (Basel)*, vol. 13, no. 5, p. 758, May 2022, doi: 10.3390/atmos13050758.
- [17] A. Gonzalez-Villalva *et al.*, “Metal Pollution in the Air and Its Effects on Vulnerable Populations: A Narrative Review,” *Int. J. Mol. Sci.*, vol. 27, no. 2, p. 720, 2026, doi: 10.3390/ijms27020720.
- [18] H. Feng and X. Zhang, “A novel encoder-decoder model based on Autoformer for air quality index prediction,” *PLoS One*, vol. 18, no. 4 APRIL, pp. 1–18, 2023, doi: 10.1371/journal.pone.0284293.
- [19] S. Listyarini, L. Warlina, and A. Sambas, “The Air Quality Monitoring Tool Based on Internet of Things to Monitor Pollution Emissions Continuously,” *Environ. Ecol. Res.*, vol. 10, no. 6, pp. 824–829, Dec. 2022, doi: 10.13189/eer.2022.100616.
- [20] A. S. Shihab, “Assessment of Air Quality through Multiple Air Quality Index Models – A Comparative Study,” *J. Ecol. Eng.*, vol. 24, no. 4, pp. 110–116, 2023, doi: 10.12911/22998993/159398.
- [21] R. D. Brook, S. Rajagopalan, and S. Al-Kindi, “Public Health Relevance of US EPA Air Quality Index Activity Recommendations,” *JAMA Netw. Open*, vol. 7, no. 4, pp. 1–10, 2024, doi: 10.1001/jamanetworkopen.2024.5292.
- [22] J. T. Samudra, B. H. Hayadi, and P. S. Ramadhan, “Komparasi 3 Metode Algoritma Klasifikasi Data Mining Pada Prediksi Kenaikan Jabatan,” *J. Teknol. Sist. Inf. dan Sist. Komput. TGD*, vol. 5, no. 2, pp. 127–133, 2022, [Online]. Available: <https://ojs.trigunadharma.ac.id/index.php/jsk/article/view/5642>
- [23] M. F. M. Arsyada and R. Tyasnurita, “Evaluasi Model Jaringan Saraf Tiruan untuk Prediksi Konsentrasi Nitrogen Oksida (NO_x),” *Sist. J. Sist. Inf.*, vol. 14, no. 3, pp. 1001–1013, 2025, [Online]. Available: <http://sistemasi.ftik.unisi.ac.id>
- [24] V. A. Gazaryan, P. I. Kudryavtsev, A. V. Bezrukova, Y. A. Kurbatova, N. E. Shapkina, and A. I. Chulichkov, “Statistical analysis of the surface layer air temperature time series in various regions of Russia,” *2022 8th Int. Conf. Inf. Technol. Nanotechnology, ITNT 2022*, no. 1, pp. 1–6, 2022, doi: 10.1109/ITNT55410.2022.9848747.
- [25] V. Sharma, S. Ghosh, S. Dey, and S. Singh, “Modelling PM2.5 for Data-Scarce Zone of Northwestern India using Multi Linear Regression and Random Forest Approaches,” *Ann. GIS*, vol. 29, no. 3, pp. 415–427, Jul. 2023, doi: 10.1080/19475683.2023.2183523.
- [26] R. Maurya, S. Mahapatra, and L. Rajput, “A Lightweight Meta-Ensemble Approach for Plant Disease Detection Suitable for IoT-Based Environments,” *IEEE Access*, vol. 12, no. January, pp. 28096–28108, 2024, doi: 10.1109/ACCESS.2024.3367443.
- [27] G. Mani, V. Joshi Kumar, and A. A. Stonier, “Prediction and forecasting of air quality index in Chennai using regression and ARIMA time series models,” *J. Eng. Res.*, vol. 10, no. 2 A, pp. 179–194, 2022, doi: 10.36909/jer.10253.
- [28] H. Xu, W. Song, L. Qian, X. Mei, and G. Zou, “STGATN: A novel spatiotemporal graph attention network for predicting pollutant concentrations at multiple stations,” *PLoS One*, vol. 20, no. 7 July, pp. 1–26, 2025, doi: 10.1371/journal.pone.0328532.

- [29] D. R. Khan, A. B. Patankar, and A. Khan, "An experimental comparison of classic statistical techniques on univariate time series forecasting," *Procedia Comput. Sci.*, vol. 235, pp. 2730–2740, 2024, doi: 10.1016/j.procs.2024.04.257.
- [30] A. T. Nguyen, D. H. Pham, B. L. Oo, Y. Ahn, and B. T. H. Lim, "Predicting air quality index using attention hybrid deep learning and quantum-inspired particle swarm optimization," *J. Big Data*, vol. 11, no. 1, p. 71, May 2024, doi: 10.1186/s40537-024-00926-5.
- [31] H. Syahputra, V. Em Afdhal, and R. Saputra, "Rancang Bangun Sistem Informasi Nagari Menuju Smart Village Berbasis Web Pada Kantor Wali Nagari Asam Kumbang Di Pesisir Selatan Dengan Menggunakan Bahasa Pemrograman PHP Dan Database Mysql," *J. Sains Inform. Terap.*, vol. 3, no. 2, pp. 138–143, Jun. 2024, doi: 10.62357/jsit.v3i2.330.
- [32] H. A. Alsayadi, A. A. Abdelhamid, E.-S. M. El El-Kenawy, A. Ibrahim, and M. M. Eid, "Improving the Regression of Air Quality Using Ensemble of Machine Learning Models," *J. Artif. Intell. Metaheuristics*, vol. 1, no. 2, pp. 08–16, 2022, doi: 10.54216/JAIM.010201.
- [33] K. Ovaliadis, S. Mitropoulos, V. Tsiantos, and I. Christakis, "Forecasting PM2.5 Concentrations with Machine Learning: Accuracy, Efficiency, and Public Health Implications," in *The 6th International Electronic Conference on Applied Sciences*, Basel Switzerland: MDPI, Feb. 2026, p. 36. doi: 10.3390/engproc2026124036.
- [34] A. S. Kesten and M. Panhwar, "Modeling Particulate Matter Concentrations: A Comparative Analysis of Statistical and Machine Learning Models," *Atmosphere (Basel)*, vol. 17, no. 2, p. 160, Jan. 2026, doi: 10.3390/atmos17020160.
- [35] F. D. Qonitan, F. M. Hilmi, A. Sarwono, N. Ulhasanah, and A. E. Wijaya, "PM2.5 Exposure and Health Symptoms in Elderly Residents: A Case Study in Jakarta during the COVID-19 Pandemic," *J. Earth Mar. Technol.*, vol. 5, no. 1, pp. 80–90, 2025, doi: 10.31284/j.jemt.2024.v5i1.6996.
- [36] A. Dutta and W. Jinsart, "Air Pollution in Indian Cities and Comparison of MLR, ANN and CART Models for Predicting PM10 Concentrations in Guwahati, India," *Asian J. Atmos. Environ.*, vol. 15, no. 1, p. 2020131, Mar. 2021, doi: 10.5572/ajae.2020.131.
- [37] E. Mohapatra, M. Das, C. P. Das, and S. Rath, "Predictive environmental modeling for air quality assessment via machine learning techniques," *Toxicol. Environ. Chem.*, vol. 107, no. 7, pp. 1509–1546, Aug. 2025, doi: 10.1080/02772248.2025.2532741.
- [38] K. Janani, R. Alageswaran, and R. Amirtharajan, "Dynamic SG-SKRDx hybrid framework for precision weather forecasting and crop suitability in the Cauvery Delta," *Sci. Rep.*, vol. 16, no. 1, p. 2042, Dec. 2025, doi: 10.1038/s41598-025-31717-4.