

DAFTAR PUSTAKA

- [1] G. Palayukan, Firman, I. A. Ramadhani, and Sahiruddin, "Pengembangan Sistem Absensi Guru Berbasis Web, Geolokasi, dan Swafoto Menggunakan Metode Waterfall," *Decode: Jurnal Pendidikan Teknologi Informasi*, vol. 5, no. 3, pp. 1083–1094, Nov. 2025, doi: 10.51454/decode.v5i3.1453.
- [2] "Meeting pertama - OneDrive." Accessed: Jan. 30, 2026. [Online]. Available: <https://mikroskilacid-my.sharepoint.com/my?id=%2Fpersonal%2F221111420%5Fstudents%5Fmikroskil%5Fac%5Fid%2FDocuments%2FMitra%20SMPS%20Permata%20Bangsa%2FMeeting%20pertama&viewid=49acb89b%2D5514%2D474c%2Dbd60%2Ddc6a7e07726e>
- [3] "The pros and cons of Google Forms | The Jotform Blog." Accessed: Feb. 04, 2026. [Online]. Available: <https://www.jotform.com/google-forms/pros-and-cons-of-google-forms/>
- [4] Ubong David Essien and Godwin Okon Ansa, "A deep learning-based face recognition attendance system," *Global Journal of Engineering and Technology Advances*, vol. 17, no. 1, pp. 009–022, Oct. 2023, doi: 10.30574/gjeta.2023.17.1.0165.
- [5] T. Hartono, B. N. Henry, S. Nurm, L. Pasha, and D. Julianingsih, "Importance Increasing Attendance Efficiency Accuracy with Presence System in Era Industrial Revolution 4.0," *International Journal of Cyber and IT Service Management*, vol. 4, no. 2, pp. 133–142, Oct. 2024, doi: 10.34306/ijcitsm.v4i2.168.
- [6] M. Gupta, R. Singh, and P. Yadav, "EVALUATING ATTENDANCE MANAGEMENT SYSTEM: A COMPARATIVE ANALYSIS OF ATTENDANCE MANAGEMENT SYSTEM," *International Journal of Advanced Research in Computer and Communication Engineering Impact Factor*, vol. 8, no. 5, 2025, doi: 10.17148/IJARCCE.2025.145103.
- [7] C. S. Keau, C. K. On, M. H. A. Hijazi, and M. M. Singh, "Smart-Hadir - Mobile Based Attendance Management System," *International Journal of Interactive Mobile Technologies*, vol. 15, no. 14, pp. 4–15, 2021, doi: 10.3991/ijim.v15i14.22677.
- [8] "Mana yang Lebih Baik dalam Merancang Aplikasi: Berbasis Web atau Mobile? - BINUS @Bekasi - Kampus Beken Asyik | Business Service and Technology." Accessed: Feb. 04, 2026. [Online]. Available: <https://binus.ac.id/bekasi/2024/12/mana-yang-lebih-baik-dalam-merancang-aplikasi-berbasis-web-atau-mobile/>
- [9] H. Thai, Y. Liu, N. Le, and D. Lee, "Improved Attendance Tracking System for Coffee Farm Workers Applying Computer Vision," vol. 16, pp. 1–22, 2026, doi: doi.org/10.3390/app16010319.
- [10] V. Pann and H. J. Lee, "Effective Attention-Based Mechanism for Masked Face Recognition," *Applied Sciences (Switzerland)*, vol. 12, no. 11, Jun. 2022, doi: 10.3390/app12115590.

- [11] M. Trigka and E. Dritsas, "A Comprehensive Survey of Deep Learning Approaches in Image Processing," Jan. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/s25020531.
- [12] J. Yang, W. Yan, S. Yuan, Y. Yu, Z. Mao, and R. Chen, "Image Fusion and Target Detection Based on Dual ResNet for Power Sensing Equipment," *Sensors*, vol. 25, no. 9, May 2025, doi: 10.3390/s25092858.
- [13] F. Boutros, M. Fang, M. Klemm, B. Fu, and N. Damer, "CR-FIQA: Face Image Quality Assessment by Learning Sample Relative Classifiability Supplementary Material." [Online]. Available: <http://whdeng.cn/CALFW/>.
- [14] N. D. Sugiharto, D. Elbert, and I. S. Edbert, "Employee monitoring system with computer vision: Face and activity recognition," in *Procedia Computer Science*, Elsevier B.V., 2025, pp. 362–371. doi: 10.1016/j.procs.2025.08.288.
- [15] T. Schlett, C. Rathgeb, J. Tapia, and C. Busch, "Double Trouble? Impact and Detection of Duplicates in Face Image Datasets," Jan. 2024, doi: 10.5220/0012422500003654.
- [16] W. Tanveer, L. Fernández-Robles, E. Fidalgo, V. González-Castro, and E. Alegre, "Overcoming Occlusions in the Wild: A Multi-Task Age Head Approach to Age Estimation," Jun. 2025, doi: 10.1016/j.patcog.2025.112917.
- [17] T. Arakane and T. Saitoh, "Efficient DNN Model for Word Lip-Reading," *Algorithms*, vol. 16, no. 6, Jun. 2023, doi: 10.3390/a16060269.
- [18] A. Zhalgas and B. Amirgaliyev, "Robust Face Recognition Under Challenging Conditions : A Comprehensive Review of Deep Learning Methods and Challenges," vol. 15, pp. 1–27, 2025, doi: doi.org/10.3390/app15179390.
- [19] C. Kong, K. Zheng, Y. Liu, S. Wang, A. Rocha, and H. Li, "M3FAS: An Accurate and Robust MultiModal Mobile Face Anti-Spoofing System," Mar. 2024, [Online]. Available: <http://arxiv.org/abs/2301.12831>
- [20] H. Xing, S. Y. Tan, F. Qamar, and Y. Jiao, "Face Anti-Spoofing Based on Deep Learning: A Comprehensive Survey," Jun. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/app15126891.
- [21] Y. Lee, S. Jang, H. B. Bae, T. Jeon, and S. Lee, "Multitask Learning Strategy with Pseudo-Labeling: Face Recognition, Facial Landmark Detection, and Head Pose Estimation," *Sensors*, vol. 24, no. 10, May 2024, doi: 10.3390/s24103212.
- [22] N. A. Ismail *et al.*, "Web-based University Classroom Attendance System Based on Deep Learning Face Recognition," *KSII Transactions on Internet and Information Systems*, vol. 16, no. 2, pp. 503–523, Feb. 2022, doi: 10.3837/tiis.2022.02.008.
- [23] C. Liu, "A Review of Digital Image Processing Techniques and Future Prospects," *International Journal of Computer Science and Information Technology*, vol. 4, no. 3, pp. 223–233, Dec. 2024, doi: 10.62051/ijcsit.v4n3.22.
- [24] S. R. Fakultas, T. Informasi, U. Islam, K. Muhammad, and A. Al Banjari, "PENGOLAHAN CITRA DIGITAL DAN HISTOGRAM DENGAN PHYTON DAN TEXT EDITOR PHYCHARM," 2020. doi: doi.org/10.31602/tji.v11i3.3294.

- [25] “perbedaan citra analog dan citra digital | Pemrograman Matlab.” Accessed: Feb. 22, 2026. [Online]. Available: <https://pemrogramanmatlab.com/tag/perbedaan-citra-analog-dan-citra-digital/>
- [26] R. Soekarta and K. R. Ku-Mahamud, “Recent Facial Image Preprocessing Techniques: A Review †,” *Engineering Proceedings*, vol. 84, no. 1, 2025, doi: 10.3390/engproc2025084039.
- [27] S. He, M. Huang, R. Cai, J. Wang, K. Huang, and Z. Lan, “Center-Guided Feature Selection with Dimensionality Reduction for Face Anti-Spoofing.” [Online]. Available: <https://github.com/KIM7AZEN/>
- [28] A. I. Awodeyi, O. A. Ibok, I. Omokaro, J. U. Ekwemuka, and M. O. Ighofiomoni, “Effective preprocessing techniques for improved facial recognition under variable conditions,” *Franklin Open*, vol. 10, Mar. 2025, doi: 10.1016/j.fraope.2025.100225.
- [29] Y. Xing, “Impact of Resolution and Resize Process on Face Recognition Accuracy with GAN-Generated Images,” European Alliance for Innovation n.o., Mar. 2025. doi: 10.4108/eai.21-11-2024.2354613.
- [30] A. Galván, M. Higuero, A. Sanz, A. Atutxa, E. Jacob, and M. Saavedra, “Comparing CNN and ViT for Open-Set Face Recognition †,” *Electronics (Switzerland)*, vol. 14, no. 19, Oct. 2025, doi: 10.3390/electronics14193840.
- [31] R. O. Ribeiro, J. C. Neves, A. Ruifrok, and F. de Barros Vidal, “Improving the evidential value of low-quality face images with aggregation of deep neural network embeddings,” *Science and Justice*, vol. 64, no. 5, pp. 509–520, Sep. 2024, doi: 10.1016/j.scijus.2024.07.006.
- [32] M. A. Almodhwahi and B. Wang, “A Facial-Expression-Aware Edge AI System for Driver Safety Monitoring,” *Sensors*, vol. 25, no. 21, Nov. 2025, doi: 10.3390/s25216670.
- [33] H. Wang, Z. Du, Y. Wu, and K. Hashimoto, “End-to-end facial expression detection via dual-stream keypoint-guided architecture,” *Neurocomputing*, vol. 674, Apr. 2026, doi: 10.1016/j.neucom.2026.132838.
- [34] S. Zhu, W. Dong, J. Song, Y. Wang, Y. Guo, and B. Zheng, “FILA: Fine-Grained Vision Language Models,” Apr. 2025, [Online]. Available: <http://arxiv.org/abs/2412.08378>
- [35] M. Zhang, K. Van Beeck, and T. Goedemé, “Enhancing Embedded Object Tracking: A Hardware Acceleration Approach for Real-Time Predictability,” *J. Imaging*, vol. 10, no. 3, Mar. 2024, doi: 10.3390/jimaging10030070.
- [36] M. Elkorchi, B. Hdioud, R. Oulad Haj Thami, and S. Merzouk, “Context_Driven Emotion Recognition: Integrating Multi_Cue Fusion and Attention Mechanisms for Enhanced Accuracy on the NCAER_S Dataset,” *Information (Switzerland)*, vol. 16, no. 10, Oct. 2025, doi: 10.3390/info16100834.

- [37] A. Puspita, S. 1*, and B. Hendrik, "Analisis Komparatif Algoritma Deep Learning untuk Pengenalan Wajah: CNN, FaceNet, dan ArcFace," *Journal of Education Research*, vol. 6, no. 4, 2025, doi: doi.org/10.37985/jer.v6i4.2178.
- [38] O. Henniger, B. Fu, and A. Kurz, "Utility-based performance evaluation of biometric sample quality measures," *EURASIP J. Image Video Process.*, vol. 2024, no. 1, Dec. 2024, doi: 10.1186/s13640-024-00644-1.
- [39] R. Ullah, I. Asghar, R. Nawaz, C. Stacey, S. Akbar, and P. Bishop, "A real time action scoring system for movement analysis and feedback in physical therapy using human pose estimation," *Sci. Rep.*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-025-29062-7.
- [40] Y. Zhang and W. Deng, "Class-Balanced Training for Deep Face Recognition." [Online]. Available: <http://whdeng.cn>.
- [41] W. Chen, Y. Li, Z. Tian, and F. Zhang, "2D and 3D object detection algorithms from images: A Survey," Sep. 01, 2023, *Elsevier B.V.* doi: 10.1016/j.array.2023.100305.
- [42] M. Krichen, "Convolutional Neural Networks: A Survey," *Computers*, vol. 12, no. 8, Aug. 2023, doi: 10.3390/computers12080151.
- [43] G. Wan and L. Yao, "LMFRNet: A Lightweight Convolutional Neural Network Model for Image Analysis," *Electronics (Switzerland)*, vol. 13, no. 1, Jan. 2024, doi: 10.3390/electronics13010129.
- [44] M. F. Safdar, R. M. Nowak, P. Palka, and A. Al Faresi, "An integrated algorithm for single lead electrocardiogram signal analysis using deep learning with 12-lead data," *Sci. Rep.*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-025-18910-1.
- [45] J. Li, F. Xu, S. Song, and J. Qi, "A maize seed variety identification method based on improving deep residual convolutional network," *Front. Plant Sci.*, vol. 15, 2024, doi: 10.3389/fpls.2024.1382715.
- [46] A. B. Asghar, Y. Wang, R. Haber, N. Dimitriou, and O. A. Arandjelovi'c, "Sequential Normalization: Embracing Smaller Sample Sizes for Normalization," 2022, doi: 10.3390/info.
- [47] B. Khan *et al.*, "Bayesian optimized multimodal deep hybrid learning approach for tomato leaf disease classification," *Sci. Rep.*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-72237-x.
- [48] S. E. Sorour, A. Alojail, A. El-Shora, A. E. Amin, and A. A. Abohany, "A Hybrid Deep Learning Approach for Enhanced Sentiment Classification and Consistency Analysis in Customer Reviews," *Mathematics*, vol. 12, no. 23, Dec. 2024, doi: 10.3390/math12233856.
- [49] T. Katona, G. Tóth, M. Petró, and B. Harangi, "Developing New Fully Connected Layers for Convolutional Neural Networks with Hyperparameter Optimization for Improved Multi-Label Image Classification," *Mathematics*, vol. 12, no. 6, Mar. 2024, doi: 10.3390/math12060806.

- [50] M. F. Ozdemir and D. Hanbay, "Real-Time Scalable System For Face Tracking In Multi-Camera," *Politeknik Dergisi*, vol. 27, no. 6, pp. 2215–2224, Dec. 2024, doi: 10.2339/politeknik.1332952.
- [51] N. Andriyanov, "Using ArcFace Loss Function and Softmax with Temperature Activation Function for Improvement in X-ray Baggage Image Classification Quality," *Mathematics*, vol. 12, no. 16, Aug. 2024, doi: 10.3390/math12162547.
- [52] J. Guo, J. Deng, A. Lattas, and S. Zafeiriou, "Sample and Computation Redistribution for Efficient Face Detection," May 2021, [Online]. Available: <http://arxiv.org/abs/2105.04714>
- [53] L. Y. Gong, X. J. Li, and P. H. J. Chong, "Swin-Fake: A Consistency Learning Transformer-Based Deepfake Video Detector," *Electronics (Switzerland)*, vol. 13, no. 15, Aug. 2024, doi: 10.3390/electronics13153045.
- [54] H. de J. Ochoa Domínguez, V. G. Cruz Sánchez, and O. O. Vergara Villegas, "Demystifying Deep Learning Building Blocks," *Mathematics*, vol. 12, no. 2, Jan. 2024, doi: 10.3390/math12020296.
- [55] P. Mittal, "A comprehensive survey of deep learning-based lightweight object detection models for edge devices," *Artif. Intell. Rev.*, vol. 57, no. 9, Sep. 2024, doi: 10.1007/s10462-024-10877-1.
- [56] G. Liu, S. Zhang, L. Wang, X. Li, and G. Li, "Research on mechanical automatic food packaging defect detection model based on improved YOLOv5 algorithm," *PLoS One*, vol. 20, no. 4 April, Apr. 2025, doi: 10.1371/journal.pone.0321971.
- [57] Z. Chen, "(HTBNet)Arbitrary Shape Scene Text Detection with Binarization of Hyperbolic Tangent and Cross-Entropy," *Entropy*, vol. 26, no. 7, Jul. 2024, doi: 10.3390/e26070560.
- [58] Z. Su, A. Adam, M. F. Nasrudin, and A. S. Prabuwno, "Proposal-Free Fully Convolutional Network: Object Detection Based on a Box Map," *Sensors*, vol. 24, no. 11, Jun. 2024, doi: 10.3390/s24113529.
- [59] S. Tang, Y. Lu, Y. Liao, K. Cheng, and Y. Zou, "A New Surrogate Safety Measure Considering Temporal–Spatial Proximity and Severity of Potential Collisions," *Applied Sciences (Switzerland)*, vol. 14, no. 7, Apr. 2024, doi: 10.3390/app14072711.
- [60] B. Guo, H. Zhang, H. Wang, X. Li, and L. Jin, "Adaptive occlusion object detection algorithm based on OL-IoU," *Sci. Rep.*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-78959-2.
- [61] N. EL Fadel, "Facial Recognition Algorithms: A Systematic Literature Review," Feb. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/jimaging11020058.
- [62] N. Andriyanov, "Using ArcFace Loss Function and Softmax with Temperature Activation Function for Improvement in X-ray Baggage Image Classification Quality," *Mathematics*, vol. 12, no. 16, Aug. 2024, doi: 10.3390/math12162547.

- [63] M. Shafiq and Z. Gu, "Deep Residual Learning for Image Recognition: A Survey," Sep. 01, 2022, *MDPI*. doi: 10.3390/app12188972.
- [64] N. A. Al-Humaidan and M. Prince, "A Classification of Arab Ethnicity Based on Face Image Using Deep Learning Approach," *IEEE Access*, vol. 9, pp. 50755–50766, 2021, doi: 10.1109/ACCESS.2021.3069022.
- [65] F. A. Demmese, S. Shajarian, and S. Khorsandroo, "Transfer learning with ResNet50 for malicious domains classification using image visualization," *Discover Artificial Intelligence*, vol. 4, no. 1, Dec. 2024, doi: 10.1007/s44163-024-00154-z.
- [66] J. Zhou, X. Jia, Q. Li, L. Shen, and J. Duan, "UniFace: Unified Cross-Entropy Loss for Deep Face Recognition," 2023. doi: DOI:10.1109/ICCV51070.2023.01895.
- [67] M. Chen, L. Liu, X. Chen, and S. Zhu, "GB-CosFace: Rethinking Softmax-based Face Recognition from the Perspective of Open Set Classification," 2023. doi: doi.org/10.48550/arXiv.2111.11186Focustolearnmore.
- [68] G. Hanawa, K. Ito, and T. Aoki, "Face image de-identification based on feature embedding," *EURASIP J. Image Video Process.*, vol. 2024, no. 1, Dec. 2024, doi: 10.1186/s13640-024-00646-z.
- [69] Y. Lee, S. Jang, H. B. Bae, T. Jeon, and S. Lee, "Multitask Learning Strategy with Pseudo-Labeling: Face Recognition, Facial Landmark Detection, and Head Pose Estimation," *Sensors*, vol. 24, no. 10, May 2024, doi: 10.3390/s24103212.
- [70] F. Pleško, T. Goldmann, and K. Malinka, "Reconstruction and enhancement techniques for overcoming occlusion in facial recognition," *EURASIP J. Image Video Process.*, vol. 2025, no. 1, Dec. 2025, doi: 10.1186/s13640-025-00670-7.
- [71] A. Renner, F. Sheldon, A. Zlotnik, L. Tao, and A. Sornborger, "The backpropagation algorithm implemented on spiking neuromorphic hardware," *Nature Communications*, vol. 15, no. 1, Dec. 2024, doi: 10.1038/s41467-024-53827-9.
- [72] S. Thaseentaj and S. S. Ilango, "Mango Leaf Disease Classification with Transfer Learning, Feature Localization, and Visual Explanations," *International Journal of Intelligent Engineering and Systems*, vol. 17, no. 4, pp. 1042–1063, 2024, doi: 10.22266/IJIES2024.0831.78.
- [73] Y. Shao *et al.*, "An Improved BGE-Adam Optimization Algorithm Based on Entropy Weighting and Adaptive Gradient Strategy," *Symmetry (Basel)*, vol. 16, no. 5, May 2024, doi: 10.3390/sym16050623.
- [74] B. W. Nurlita *et al.*, "COMPARISON OF ARCFACE AND DLIB PERFORMANCE IN FACE RECOGNITION WITH DETECTION USING PERBANDINGAN KINERJA ARCFACE DAN DLIB DALAM PENGENALAN WAJAH DENGAN DETEKSI MENGGUNAKAN YOLOV8," pp. 890–903, 2024, doi: doi.org/10.35314/3jy3dy73.
- [75] T. Van Nguyen and T. D. Chu, "COMPARATIVE STUDY ON THE PERFORMANCE OF FACE RECOGNITION ALGORITHMS," *EUREKA, Physics*

and Engineering, vol. 2023, no. 4, pp. 120–132, Jul. 2023, doi: 10.21303/2461-4262.2023.002831.

- [76] M. Siddik and A. Sirait, “IMPLEMENTASI ALGORITMA COSINE SIMILARITY DALAM PENGENALAN WAJAH UNTUK APLIKASI ABSENSI,” *JOISIE (Journal Of Information Systems And Informatics Engineering)*, vol. 9, no. 1, p. 1, Feb. 2025, doi: 10.35145/joisie.v9i1.4772.
- [77] S. Khairnar, S. Gite, K. Kotecha, and S. D. Thepade, “Face Liveness Detection Using Artificial Intelligence Techniques: A Systematic Literature Review and Future Directions,” Mar. 01, 2023, *MDPI*. doi: 10.3390/bdcc7010037.
- [78] E. Solomon and K. J. Cios, “FASS: Face Anti-Spoofing System Using Image Quality Features and Deep Learning,” *Electronics (Switzerland)*, vol. 12, no. 10, May 2023, doi: 10.3390/electronics12102199.
- [79] E. Iacobelli, V. Ponzi, S. Russo, and C. Napoli, “Eye-Tracking System with Low-End Hardware: Development and Evaluation,” *Information (Switzerland)*, vol. 14, no. 12, Dec. 2023, doi: 10.3390/info14120644.
- [80] R. Algabri, A. Abdu, and S. Lee, “Deep learning and machine learning techniques for head pose estimation: a survey,” *Artif. Intell. Rev.*, vol. 57, no. 10, Oct. 2024, doi: 10.1007/s10462-024-10936-7.
- [81] P. Ritthipravat, K. Chotikkakamthorn, W. N. Lie, W. Kusakunniran, P. Tuakta, and P. Benjapornlert, “Deep-learning-based head pose estimation from a single RGB image and its application to medical CROM measurement,” *Multimed. Tools Appl.*, vol. 83, no. 31, pp. 77009–77028, Sep. 2024, doi: 10.1007/s11042-024-18612-2.
- [82] R. Fischer, M. Hödlmoser, and M. Gelautz, “Evaluation of Camera Pose Estimation Using Human Head Pose Estimation,” *SN Comput. Sci.*, vol. 4, no. 3, May 2023, doi: 10.1007/s42979-023-01709-0.
- [83] E. B. Setiawan, G. Tubagus Gumilar, and A. Setiyadi, “APLIKASI PEDAGANG KELILING MENGGUNAKAN TEKNOLOGI GEOLOCATION DAN CLOUD MESSAGING,” vol. 11, no. 3, pp. 675–684, 2024, doi: 10.25126/jtiik2024118294.
- [84] B. P. Ilham and F. Supriadi, “Pembatasan Jarak Presensi Dalam Sistem Presensi Daring Menggunakan Formula Haversine,” Oct. 2024. doi: doi.org/10.36342/teika.v14i2.3723.
- [85] “Markers | Maps SDK for Android | Google for Developers.” Accessed: Feb. 19, 2026. [Online]. Available: <https://developers.google.com/maps/documentation/android-sdk/marker>
- [86] “Quick Start Guide - Leaflet - a JavaScript library for interactive maps.” Accessed: May 10, 2026. [Online]. Available: <https://leafletjs.com/examples/quick-start/>
- [87] A. Zilberman *et al.*, “A Survey on Geolocation on the Internet,” *IEEE Communications Surveys and Tutorials*, vol. 27, no. 5, pp. 3339–3381, 2025, doi: 10.1109/COMST.2024.3518398.

- [88] M. Majidi Nezhad, S. Moradian, M. Guezgouz, X. Shi, A. Avelin, and F. Wallin, "A GIS-portal platform from the data perspective to energy hub digitalization solutions- A review and a case study," *Renewable and Sustainable Energy Reviews*, vol. 223, Nov. 2025, doi: 10.1016/j.rser.2025.116019.
- [89] E. Yunardi, L. Magdalena, and M. Febima, "Journal of Artificial Intelligence and Engineering Applications Implementation of the Haversine Formula Method in Geographic Information Systems for Searching the Nearest Sea Freight Expedition Services in East Jakarta," 2024.
- [90] X. Xu, J. Wang, S. Poslad, X. Rui, G. Zhang, and Y. Fan, "Exploring intra-urban human mobility and daily activity patterns from the lens of dockless bike-sharing: A case study of Beijing, China," *International Journal of Applied Earth Observation and Geoinformation*, vol. 122, Aug. 2023, doi: 10.1016/j.jag.2023.103442.
- [91] "Haversine formula - Calculate geographic distance on earth." Accessed: May 14, 2026. [Online]. Available: <https://www.igismap.com/haversine-formula-calculate-geographic-distance-earth/>
- [92] D. Riki, D. Indra, H. Muhammad, and J. Ahmad, "PEMETAAN PELANGGAN PER GARDU BERBASIS Q-GIS DAN Q-FIELD," vol. 7, 2025, doi: DOI:10.51401/jinteks.v7i2.5115.
- [93] "Geofencing or Beacons: Which is the best fit for your business?" Accessed: Feb. 19, 2026. [Online]. Available: <https://www.42gears.com/blog/geofencing-or-beacons-best-fit-business/>
- [94] R. Aditya and B. Setiaji, "ANALYSIS OF APPLICATION HAAR CASCADE CLASSIFIER AND LOCAL BINARY PATTERN HISTOGRAM ALGORITHM IN RECOGNIZING FACES WITH REAL-TIME GRAYSCALE IMAGES USING OPENCV," vol. 4, no. 1, pp. 179–186, 2023, doi: 10.20884/1.jutif.2022.4.1.491.
- [95] C. Rajdeep, A. Aleem, and R. A. Nawaf, "Artificial Intelligence and Optimization Techniques for Smart Information System Generations," 2025. doi: DOI:10.1201/9781003592969.
- [96] F. Reimer, J. Herzig, L. Winkler, J. Biedermann, F. Meller, and B. Nagel, "APPLIED DESIGN THINKING IN URBAN AIR MOBILITY: CREATING THE AIR TAXI CABIN DESIGN OF THE FUTURE FROM A USER PERSPECTIVE." [Online]. Available: <https://orcid.org/0000-0001-6666-6903>
- [97] P. Haindl, T. Hoch, J. Dominguez, J. Aperribai, N. K. Ure, and M. Tunçel, "Quality Characteristics of a Software Platform for Human-AI Teaming in Smart Manufacturing," May 2022, [Online]. Available: <http://arxiv.org/abs/2205.15767>
- [98] A. Risma, H. K. Saputra, A. Hadi, and D. Novaliendry, "Penerapan User Acceptance Testing (UAT) pada Pengujian Sistem Informasi Manajemen Operasional Studio Foto Berbasis Client-Server," *Journal of Authentic Research*, vol. 5, no. 2, pp. 2396–2410, May 2026, doi: 10.36312/svscqg16.
- [99] M. Rahaman, Md. M. Islam, and D. Nandi, "SmartPresence: Wi-Fi-based online attendance management for smart academic assistance," *Journal of Electrical Systems*

and Information Technology, vol. 12, no. 1, Jun. 2025, doi: 10.1186/s43067-025-00215-y.

- [100] R. K. Sonawane and A. T. Singh, "Importance and Impact of Attendance Management System: A Literature Review," *International Journal of Advanced Research in Science, Communication and Technology (IJARSCT) International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal*, vol. 3, no. 5, 2023, doi: 10.48175/IJARSCT-11651.
- [101] B. T. Nguyen-Tat, M. Q. Bui, and V. M. Ngo, "Automating attendance management in human resources: A design science approach using computer vision and facial recognition," *International Journal of Information Management Data Insights*, vol. 4, no. 2, Nov. 2024, doi: doi.org/10.1016/j.jjime.2024.100253.
- [102] "Absensi SMPS Permata Bangsa - OneDrive." Accessed: Feb. 20, 2026. [Online]. Available: <https://mikroskilacid-my.sharepoint.com/my?id=%2Fpersonal%2F221111420%5Fstudents%5Fmikroskil%5Fac%5Fid%2FDocuments%2FMitra%20SMPS%20Permata%20Bangsa%2Fabsensi%20SMPS%20Permata%20Bangsa&viewid=49acb89b%2D5514%2D474c%2Dbd60%2Ddc6a7e07726e>
- [103] "Minutiae Based Extraction in Fingerprint Recognition." Accessed: Feb. 20, 2026. [Online]. Available: <https://www.bayometric.com/minutiae-based-extraction-fingerprint-recognition>
- [104] "RFID Based Attendance System Using Arduino - Circuit, Code & Demo." Accessed: Feb. 20, 2026. [Online]. Available: <https://circuitdigest.com/microcontroller-projects/rfid-based-attendance-system-project-using-arduino>
- [105] Ubong David Essien and Godwin Okon Ansa, "A deep learning-based face recognition attendance system," *Global Journal of Engineering and Technology Advances*, vol. 17, no. 1, pp. 009–022, Oct. 2023, doi: 10.30574/gjeta.2023.17.1.0165.
- [106] V. M. Ngo, B.-T. Nguyen Tat, and M.-Q. Bui, "Automating Attendance Management in Human Resources: A Design Science Approach Using Computer Vision and Facial Recognition."
- [107] "SMPS PERMATA BANGSA." Accessed: Feb. 03, 2026. [Online]. Available: <https://sekolah.data.kemendikdasmen.go.id/profil-sekolah/E1445B8E-3D97-4566-9B04-DC32509F7EF9>
- [108] "Meeting kedua - OneDrive." Accessed: Jan. 30, 2026. [Online]. Available: <https://mikroskilacid-my.sharepoint.com/my?id=%2Fpersonal%2F221111420%5Fstudents%5Fmikroskil%5Fac%5Fid%2FDocuments%2FMitra%20SMPS%20Permata%20Bangsa%2FMeeting%20kedua&viewid=49acb89b%2D5514%2D474c%2Dbd60%2Ddc6a7e07726e>