

DAFTAR PUSTAKA

- [1] N. U. Akashi, “17+8 Tuntutan Rakyat Apa Saja? Ini Isi Lengkap dan 6 Pihak yang Dituntut,” *detik.com*, Sep. 05, 2025. [Online]. Available: <https://www.detik.com/jateng/berita/d-8097673/17-8-tuntutan-rakyat-apa-saja-ini-isi-lengkap-dan-6-pihak-yang-dituntut>. [Accessed: 17-Sep-2025].
- [2] H. Salam, “”17+8 Tuntutan Rakyat”, Problem Akut yang Tak Kunjung Teratasi,” *kompas.id*, Sep. 02, 2025. [Online]. Available: <https://www.kompas.id/artikel/desakan-178-tuntutan-rakyat-problem-akut-yang-tak-kunjung-teratasi>. [Accessed: 17-Sep-2025].
- [3] S. Kemp, “Digital 2025: Indonesia,” *DataReportal*, Feb. 25, 2025. [Online]. Available: <https://datareportal.com/reports/digital-2025-indonesia>. [Accessed: 23-Sep-2025].
- [4] U. Khan, S. Khan, A. Rizwan, G. Atteia, M. M. Jamjoom, and N. A. Samee, “Aggression Detection in Social Media from Textual Data Using Deep Learning Models,” *Appl. Sci.*, vol. 12, no. 10, 2022, doi: 10.3390/app12105083.
- [5] A. F. Hidayatullah, S. Cahyaningtyas, and A. M. Hakim, “Sentiment Analysis on Twitter using Neural Network: Indonesian Presidential Election 2019 Dataset,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1077, no. 1, p. 012001, 2021, doi: 10.1088/1757-899x/1077/1/012001.
- [6] M. D. Angelo, R. Widyatna Harwenda, I. Budi, A. Budi Santoso, and P. Kresna Putra, “Sentiment Analysis and Topic Modeling of Public Opinion on Indonesia New Capital City Development Policies,” *J. Eduvest*, vol. 5, no. 5, p. 2025, 2025.
- [7] H. Ahmadian, T. F. Abidin, H. Riza, and K. Muchtar, “Hybrid Models for Emotion Classification and Sentiment Analysis in Indonesian Language,” *Appl. Comput. Intell. Soft Comput.*, vol. 2024, 2024, doi: 10.1155/2024/2826773.
- [8] A. Fachry, A. Farizi, and Y. Sibaroni, “Implementation of Bilstm and Indobert for Sentiment Analysis of TikTok Reviews,” *JIPi (Jurnal Ilm. Penelit. dan Pembelajaran Inform.)*, vol. 10, no. 1, pp. 96–106, 2025.
- [9] S. N. Russell, L. Rao-Graham, and M. McNaughton, “Mining social media data to inform public health policies: a sentiment analysis case study,” *Rev. Panam. Salud Publica/Pan Am. J. Public Heal.*, vol. 48, pp. 1–6, 2024, doi: 10.26633/RPSP.2024.79.
- [10] M. Svana, “Social Media, Topic Modeling and Sentiment Analysis in Municipal

- Decision Support,” *Proc. 18th Conf. Comput. Sci. Intell. Syst. FedCSIS 2023*, no. 2, pp. 1235–1239, 2023, doi: 10.15439/2023F1479.
- [11] S. Dutta, D. Sarkar, S. Roy, D. K. Kole, and P. Jana, “A Study on Herd Behavior Using Sentiment Analysis in Online Social Network,” *ICCISc 2021 - 2021 Int. Conf. Commun. Control Inf. Sci. Proc.*, 2021, doi: 10.1109/ICCISc52257.2021.9484918.
- [12] A. Romadhony, S. Al Faraby, R. Rismala, U. N. Wisesti, and A. Arifianto, “Sentiment Analysis on a Large Indonesian Product Review Dataset,” *J. Inf. Syst. Eng. Bus. Intell.*, vol. 10, no. 1, pp. 167–178, 2024, doi: 10.20473/jisebi.10.1.167-178.
- [13] M. R. Manoppo *et al.*, “Analisis Sentimen Publik Di Media Sosial Terhadap Kenaikan Ppn 12% Di Indonesia Menggunakan Indobert,” *J. Kecerdasan Buatan dan Teknol. Inf.*, vol. 4, no. 2, pp. 152–163, 2025, doi: 10.69916/jkbti.v4i2.322.
- [14] G. Nkhata, S. Gauch, U. Anjum, and J. Zhan, “Fine-tuning BERT with Bidirectional LSTM for Fine-grained Movie Reviews Sentiment Analysis,” 2025.
- [15] V. D. Setiawan, D. U. Iswavigra, and E. Anggiratih, “Implementation of IndoBERT for Sentiment Analysis of the Constitutional Court’s Decision Regarding the Minimum Age of Vice Presidential Candidates,” *Sci. J. Informatics*, vol. 12, no. 3, pp. 397–406, 2025, doi: 10.15294/sji.v12i3.26320.
- [16] D. A. Fidian, T. N. Fatyanosa, and A. Ridok, “Analisis Sentimen Terhadap Program Indonesian International Student Mobility Award (IISMA) di Platform X / Twitter Menggunakan TF-IDF dan SVM,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 1, no. 1, pp. 2548–964, 2021.
- [17] W. H. Li and H. C. Yu, “Using KeyGraph and ChatGPT to Detect and Track Topics Related to AI Ethics in Media Outlets,” *Mathematics*, vol. 13, no. 17, 2025, doi: 10.3390/math13172698.
- [18] A. W. Pradana and M. Hayaty, “The Effect of Stemming and Removal of Stopwords on the Accuracy of Sentiment Analysis on Indonesian-language Texts,” *Kinet. Game Technol. Inf. Syst. Comput. Network, Comput. Electron. Control*, vol. 4, no. 3, pp. 375–380, 2019, doi: 10.22219/kinetik.v4i4.912.
- [19] I. H. Sarker, “Deep Learning: A Comprehensive Overview on Techniques, Taxonomy, Applications and Research Directions,” *SN Comput. Sci.*, vol. 2, no. 6, 2021, doi: 10.1007/s42979-021-00815-1.
- [20] L. Alzubaidi *et al.*, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021.

doi: 10.1186/s40537-021-00444-8.

- [21] J. Devlin, M. W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," *NAACL HLT 2019 - 2019 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. - Proc. Conf.*, vol. 1, no. Mlm, pp. 4171–4186, 2019.
- [22] L. YIKUN, "Review on natural language processing models," *Appl. Comput. Eng.*, vol. 35, no. 1, pp. 1–7, 2024, doi: 10.54254/2755-2721/35/20230350.
- [23] S. Pais, J. Cordeiro, and M. L. Jamil, "NLP-based platform as a service: a brief review," *J. Big Data*, vol. 9, no. 1, 2022, doi: 10.1186/s40537-022-00603-5.
- [24] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient Estimation of Word Representations in Vector Space," *1st Int. Conf. Learn. Represent. ICLR 2013 - Work. Track Proc.*, pp. 1–12, Sep. 2013.
- [25] J. Pennington, R. Socher, and C. Manning, "Glove: Global Vectors for Word Representation," in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, Stroudsburg, PA, USA: Association for Computational Linguistics, 2014, pp. 1532–1543. doi: 10.3115/v1/D14-1162.
- [26] F. Koto, A. Rahimi, J. H. Lau, and T. Baldwin, "IndoLEM and IndoBERT: A Benchmark Dataset and Pre-trained Language Model for Indonesian NLP," *COLING 2020 - 28th Int. Conf. Comput. Linguist. Proc. Conf.*, pp. 757–770, 2020, doi: 10.18653/v1/2020.coling-main.66.
- [27] Y. D. Prabowo, T. L. Marselino, and M. Suryawiguna, "Pembentukan Vector Space Model Bahasa Indonesia Menggunakan Metode Word to Vector," pp. 29–40.
- [28] F. Aftab *et al.*, "A Comprehensive Survey on Sentiment Analysis Techniques," *Int. J. Technol.*, vol. 14, no. 6, pp. 1288–1298, 2023, doi: 10.14716/ijtech.v14i6.6632.
- [29] J. Y. M. Nip and B. Berthelie, "Social Media Sentiment Analysis," *Encyclopedia*, vol. 4, no. 4, pp. 1590–1598, 2024, doi: 10.3390/encyclopedia4040104.
- [30] A. A. Firdaus *et al.*, "Application of Sentiment Analysis as an Innovative Approach to Policy Making: A Review," *J. Robot. Control*, vol. 5, no. 6, pp. 1784–1798, 2024, doi: 10.18196/jrc.v5i6.22573.
- [31] T. Islam *et al.*, "Lexicon and Deep Learning-Based Approaches in Sentiment Analysis on Short Texts," *J. Comput. Commun.*, vol. 12, no. 01, pp. 11–34, 2024, doi: 10.4236/jcc.2024.121002.
- [32] A. Chamekh, M. Mahfoudh, and G. Forestier, "Sentiment Analysis Based on Deep

- Learning in E-Commerce,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 13369 LNAI, 2022, pp. 498–507. doi: 10.1007/978-3-031-10986-7_40.
- [33] A. Molenaar, D. Lukose, L. Brennan, E. L. Jenkins, and T. A. McCaffrey, “Using Natural Language Processing to Explore Social Media Opinions on Food Security: Sentiment Analysis and Topic Modeling Study,” *J. Med. Internet Res.*, vol. 26, no. 1, 2024, doi: 10.2196/47826.
- [34] M. Hoffmann, J. Liu, C. Neumayer, and H. J. Trenz, “Social media and political contention - challenges and opportunities for comparative research,” *J. Inf. Technol. Polit.*, vol. 21, no. 3, pp. 209–217, 2024, doi: 10.1080/19331681.2024.2356435.
- [35] Y. Zhao, W. Wu, and Z. Lin, “Surviving or Thriving? Examining the Impact of Digital Connective Politics in Primary-Level Cadres’ Live-Streaming E-Commerce in China,” *Int. J. Commun.*, vol. 17, pp. 4707–4726, 2023.
- [36] L. Lindqvist and S. Lindgren, “Mapping an emerging hashtag ecosystem: connective action and interpretive frames in the Swedish #MeToo movement,” *Fem. Media Stud.*, vol. 23, no. 8, pp. 4089–4106, 2023, doi: 10.1080/14680777.2022.2149604.
- [37] L. S. Rahayu, “Isi 17+8 Tuntutan Rakyat, Bergema di Medsos dan Dibawa ke Aksi di DPR,” *news.detik.com*, Sep. 03, 2025. [Online]. Available: <https://news.detik.com/berita/d-8093935/isi-17-8-tuntutan-rakyat-bergema-di-medsos-dan-dibawa-ke-aksi-di-dpr>. [Accessed: 29-Sep-2025].
- [38] F. F. Noorikhsan, H. Ramdhani, B. C. Sirait, and N. Khoerunisa, “Dynamics of the Internet, Social Media, and Politics in the Contemporary Era: A Review of State-Society Relations,” *J. Polit. Issues*, vol. 5, no. 1, pp. 95–109, 2023.
- [39] “How does text preprocessing work in NLP?,” *milvus.io*, n.d. [Online]. Available: <https://milvus.io/ai-quick-reference/how-does-text-preprocessing-work-in-nlp>. [Accessed: 04-Oct-2025].
- [40] B. A. Mustofa and W. L. Y. Saptomo, “Use of Natural Language Processing in Social Media Text Analysis,” *J. Artif. Intell. Eng. Appl.*, vol. 4, no. 2, pp. 1235–1238, 2025, doi: 10.59934/jaiea.v4i2.875.
- [41] I. Dongo, Y. Cadinale, A. Aguilera, F. Martínez, Y. Quintero, and S. Barrios, “Web Scraping versus Twitter API: A Comparison for a Credibility Analysis,” *ACM Int. Conf. Proceeding Ser.*, pp. 263–273, 2020, doi: 10.1145/3428757.3429104.

- [42] A. M. Mantika, A. Triayudi, and R. T. Aldisa, "Sentiment Analysis on Twitter Using Naïve Bayes and Logistic Regression for the 2024 Presidential Election," *SaNa J. Blockchain, NFTs Metaverse Technol.*, vol. 2, no. 1, pp. 44–55, 2024, doi: 10.58905/sana.v2i1.267.
- [43] F. S. Pratiwi and Suhendra, "Peran Komunikasi Digital dalam Pembentukan Opini Publik : Studi Kasus Media Sosial," *Iapa Proc. Conf.*, pp. 293–315, 2024.
- [44] Z. Jianqiang and G. Xiaolin, "Comparison research on text pre-processing methods on twitter sentiment analysis," *IEEE Access*, vol. 5, pp. 2870–2879, 2017, doi: 10.1109/ACCESS.2017.2672677.
- [45] Q. Huang and T. Zhao, "Data Collection and Labeling Techniques for Machine Learning," arXiv:2407.12793, 2024. [Online]. Available: <https://arxiv.org/abs/2407.12793>
- [46] J. Urpay-Camasi, J. Garcia-Calderon, and P. Shiguihara, "A Method to Construct Guidelines for Spanish Comments Annotation for Sentiment Analysis," *Proc. 2021 IEEE Sci. Humanit. Int. Res. Conf. SHIRCON 2021*, pp. 8–11, 2021, doi: 10.1109/SHIRCON53068.2021.9652313.
- [47] E. De Geyndt, O. De Clercq, C. Van Hee, and V. Hoste, "Annotation Guidelines for labeling Aspect-Based Sentiment Analysis en Aspect-Based Emotion Analysis in the SentEMO project ANNOTATION MANUAL ABSA + ABEA," 2023.
- [48] "Datasets: Dividing the original dataset," Google for Developers, n.d. [Online]. Available: <https://developers.google.com/machine-learning/crash-course/overfitting/dividing-datasets>. [Accessed: 10-Oct-2025].
- [49] M. M. Islam, M. R. Uddin, R. I. Mamun, and S. Kibria, "Machine Learning Approaches for Predicting Mobile Financial Services Growth: A Comprehensive Multi-Target Analysis of Bangladesh's Digital Financial Ecosystem," *Sch. J. Eng. Technol.*, vol. 13, no. 10, pp. 813–829, Oct. 2025, doi: 10.36347/sjet.2025.v13i10.004.
- [50] C. Mahlich, T. Vente, and J. Beel, "From theory to practice: implementing and evaluating e-fold cross-validation," in *International Conference on Artificial Intelligence and Machine Learning Research (CAIMLR 2024)*, A. Ghosh, H. Zhao, C. Wei Tan, and J. Liu, Eds., SPIE, May 2025, p. 21. doi: 10.1117/12.3058568.
- [51] I. D. Mienye, T. G. Swart, and G. Obaido, "Recurrent Neural Networks: A Comprehensive Review of Architectures, Variants, and Applications," *Information*,

- vol. 15, no. 9, p. 517, Aug. 2024, doi: 10.3390/info15090517.
- [52] T. Mikolov, M. Karafiát, L. Burget, J. Černocký, and S. Khudanpur, “Recurrent neural network based language model,” in *Interspeech 2010*, ISCA: ISCA, Sep. 2010, pp. 1045–1048. doi: 10.21437/Interspeech.2010-343.
- [53] A. Khan, M. M. Fouda, D. T. Do, A. Almaleh, and A. U. Rahman, “Short-Term Traffic Prediction Using Deep Learning Long Short-Term Memory: Taxonomy, Applications, Challenges, and Future Trends,” *IEEE Access*, vol. 11, no. September, pp. 94371–94391, 2023, doi: 10.1109/ACCESS.2023.3309601.
- [54] S. Mohsen and A. G. Alharbi, “EEG-Based Human Emotion Prediction Using an LSTM Model,” *Midwest Symp. Circuits Syst.*, vol. 2021-Augus, pp. 458–461, 2021, doi: 10.1109/MWSCAS47672.2021.9531707.
- [55] S. Mohsen, “Recognition of human activity using GRU deep learning algorithm,” *Multimed. Tools Appl.*, vol. 82, no. 30, pp. 47733–47749, 2023, doi: 10.1007/s11042-023-15571-y.
- [56] P. Zhou *et al.*, “Attention-based bidirectional long short-term memory networks for relation classification,” *54th Annu. Meet. Assoc. Comput. Linguist. ACL 2016 - Short Pap.*, pp. 207–212, 2016, doi: 10.18653/v1/p16-2034.
- [57] D. Naik and C. D. Jaidhar, “A novel Multi-Layer Attention Framework for visual description prediction using bidirectional LSTM,” *J. Big Data*, vol. 9, no. 1, 2022, doi: 10.1186/s40537-022-00664-6.
- [58] A. Vaswani *et al.*, “Attention Is All You Need,” in *Advances in Neural Information Processing Systems 30 (NIPS 2017)*, Curran Associates, Inc, 2017, pp. 5998–6008. doi: 10.48550/arXiv.1706.03762.
- [59] S. Islam *et al.*, “A comprehensive survey on applications of transformers for deep learning tasks,” *Expert Syst. Appl.*, vol. 241, 2024, doi: 10.1016/j.eswa.2023.122666.
- [60] S. J. Mielke *et al.*, “Between words and characters: A Brief History of Open-Vocabulary Modeling and Tokenization in NLP,” 2021.
- [61] K. Bostrom and G. Durrett, “Byte pair encoding is suboptimal for language model pretraining,” *Find. Assoc. Comput. Linguist. Find. ACL EMNLP 2020*, pp. 4617–4624, 2020, doi: 10.18653/v1/2020.findings-emnlp.414.
- [62] S. Casola, I. Lauriola, and A. Lavelli, “Pre-trained transformers: an empirical comparison,” *Mach. Learn. with Appl.*, vol. 9, p. 100334, Sep. 2022, doi: 10.1016/j.mlwa.2022.100334.

- [63] G. Yenduri *et al.*, “GPT (Generative Pre-Trained Transformer) - A Comprehensive Review on Enabling Technologies, Potential Applications, Emerging Challenges, and Future Directions,” *IEEE Access*, vol. 12, pp. 54608–54649, 2024, doi: 10.1109/ACCESS.2024.3389497.
- [64] G. Paaß and S. Giesselbach, *Foundation Models for Natural Language Processing -- Pre-trained Language Models Integrating Media*. 2023. [Online]. Available: <http://arxiv.org/abs/2302.08575>.
- [65] E. Kotei and R. Thirunavukarasu, “A Systematic Review of Transformer-Based Pre-Trained Language Models through Self-Supervised Learning,” *Information*, vol. 14, no. 3, p. 187, Mar. 2023, doi: 10.3390/info14030187.
- [66] S. Cahyawijaya *et al.*, “IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Generation,” *EMNLP 2021 - 2021 Conf. Empir. Methods Nat. Lang. Process. Proc.*, pp. 8875–8898, 2021, doi: 10.18653/v1/2021.emnlp-main.699.
- [67] F. Indriani, R. A. Nugroho, M. R. Faisal, and D. Kartini, “Comparative Evaluation of IndoBERT, IndoBERTweet, and mBERT for Multilabel Student Feedback Classification,” *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 8, no. 6, pp. 748–757, Dec. 2024, doi: 10.29207/resti.v8i6.6100.
- [68] S. Wang, J. Zhang, Z. Yuan, and S. Shan, “Pre-trained Model Guided Fine-Tuning for Zero-Shot Adversarial Robustness,” Apr. 2024.
- [69] K. Nishida, K. Nishida, and S. Yoshida, “Task-adaptive Pre-training of Language Models with Word Embedding Regularization,” Sep. 2021.
- [70] L. Xu, H. Xie, S.-Z. J. Qin, X. Tao, and F. L. Wang, “Parameter-Efficient Fine-Tuning Methods for Pretrained Language Models: A Critical Review and Assessment,” Dec. 2023.
- [71] A. Salam and S. R. Sidiq, “SciBERT Optimisation for Named Entity Recognition on NCBI Disease Corpus with Hyperparameter Tuning,” *J. Appl. Informatics Comput.*, vol. 9, no. 2, pp. 432–441, Mar. 2025, doi: 10.30871/jaic.v9i2.9283.
- [72] I. Loshchilov and F. Hutter, “Decoupled Weight Decay Regularization,” Jan. 2019.
- [73] F. Baharuddin and M. F. Naufal, “Fine-Tuning IndoBERT for Indonesian Exam Question Classification Based on Bloom’s Taxonomy,” *J. Inf. Syst. Eng. Bus. Intell.*, vol. 9, no. 2, pp. 253–263, Nov. 2023, doi: 10.20473/jisebi.9.2.253-263.
- [74] N. S. Keskar, J. Nocedal, P. T. P. Tang, D. Mudigere, and M. Smelyanskiy, “On large-

- batch training for deep learning: Generalization gap and sharp minima,” *5th Int. Conf. Learn. Represent. ICLR 2017 - Conf. Track Proc.*, 2017.
- [75] L. Prechelt, “Automatic early stopping using cross validation: Quantifying the criteria,” *Neural Networks*, vol. 11, no. 4, pp. 761–767, 1998, doi: 10.1016/S0893-6080(98)00010-0.
- [76] K. Greff, R. K. Srivastava, J. Koutnik, B. R. Steunebrink, and J. Schmidhuber, “LSTM: A Search Space Odyssey,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 28, no. 10, pp. 2222–2232, 2017, doi: 10.1109/TNNLS.2016.2582924.
- [77] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: A simple way to prevent neural networks from overfitting,” *J. Mach. Learn. Res.*, vol. 15, pp. 1929–1958, 2014.
- [78] M. Sokolova and G. Lapalme, “A systematic analysis of performance measures for classification tasks,” *Inf. Process. Manag.*, vol. 45, no. 4, pp. 427–437, Jul. 2009, doi: 10.1016/j.ipm.2009.03.002.
- [79] K. Rauniyar *et al.*, “Multi-Aspect Annotation and Analysis of Nepali Tweets on Anti-Establishment Election Discourse,” *IEEE Access*, vol. 11, pp. 143092–143115, 2023, doi: 10.1109/ACCESS.2023.3342154.
- [80] A. Kurniasih and L. P. Manik, “On the Role of Text Preprocessing in BERT Embedding-based DNNs for Classifying Informal Texts,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 13, no. 6, 2022, doi: 10.14569/IJACSA.2022.01306109.
- [81] N. R. A. Tambunan, D. R. S. Saputro, and P. Widyaningsih, “HYBRID INTEGRATION OF BERT AND BILSTM MODELS FOR SENTIMENT ANALYSIS,” *BAREKENG J. Ilmu Mat. dan Terap.*, vol. 20, no. 2, pp. 1719–1730, Jan. 2026, doi: 10.30598/barekengvol20iss2pp1719-1730.
- [82] M. E. Peters *et al.*, “Deep contextualized word representations,” Mar. 2018.
- [83] S. Mohammad, S. Kiritchenko, P. Sobhani, X. Zhu, and C. Cherry, “SemEval-2016 Task 6: Detecting Stance in Tweets,” in *Proceedings of the 10th International Workshop on Semantic Evaluation (SemEval-2016)*, Stroudsburg, PA, USA: Association for Computational Linguistics, 2016, pp. 31–41. doi: 10.18653/v1/S16-1003.