

DAFTAR PUSTAKA

- [1] E. Altuncu, V. N. L. Franqueira, and S. Li, “Deepfake: definitions, performance metrics and standards, datasets, and a meta-review,” *Front. Big Data*, vol. 7, Art. no. 1400024, 2024, doi: 10.3389/fdata.2024.1400024.
- [2] H. Azzuni and A. El Saddik, “Voice Cloning: Comprehensive Survey,” *arXiv:2505.00579*, May 2025, doi: 10.48550/arXiv.2505.00579.
- [3] K. Warren, D. Olszewski, S. Layton, K. Butler, C. Gates, and P. Traynor, “Pitch Imperfect: Detecting Audio Deepfakes Through Acoustic Prosodic Analysis,” *arXiv:2502.14726*, Feb. 2025, doi: 10.48550/arXiv.2502.14726.
- [4] J. Franklin and B. Sianipar, “Urgensi Pembaruan Hukum Pidana Indonesia Dalam Menghadapi Kejahatan Deepfake Artificial Intelligence Sebagai Ancaman Kejahatan Siber Generasi Baru,” *QOSIM: Jurnal Pendidikan, Sosial & Humaniora*, vol. 4, no. 3, pp. 2443–2463, 2026, doi: 10.61104/jq.v4i3.6993.
- [5] A. F. Sonni, “AI-based disinformation and hate speech amplification: analysis of Indonesia’s digital media ecosystem,” *Front. Commun.*, vol. 10, Art. no. 1603534, pp. 1–6, 2025, doi: 10.3389/fcomm.2025.1603534.
- [6] Z. Almutairi and H. Elgibreen, “A Review of Modern Audio Deepfake Detection Methods: Challenges and Future Directions,” *Algorithms*, vol. 15, no. 5, pp. 1-20, May 2022, doi: 10.3390/a15050155.
- [7] F. Wolf-Monheim, “Spectral and Rhythm Features for Audio Classification with Deep Convolutional Neural Networks,” *arXiv:2410.06927*, Oct. 2024, doi: 10.48550/arXiv.2410.06927.
- [8] J. W. Jung *et al.*, “Aasist: Audio Anti-Spoofing Using Integrated Spectro-Temporal Graph Attention Networks,” in *Proc. IEEE Int. Conf. Acoust., Speech Signal Process. (ICASSP)*, Singapore, May 2022, pp. 6367-6371, doi: 10.1109/ICASSP43922.2022.9747766.
- [9] D. T. Truong, R. Tao, T. Nguyen, H. T. Luong, K. A. Lee, and E. S. Chng, “Temporal-Channel Modeling in Multi-head Self-Attention for Synthetic Speech Detection,” in *Proc. Annu. Conf. Int. Speech Commun. Assoc. (INTERSPEECH)*, Kos, Greece, Sept. 2024, pp. 537–541, doi: 10.21437/Interspeech.2024-659.

- [10] T. Lu, Y. Bao, and L. Li, “Deepfake Video Detection Based on Improved CapsNet and Temporal–Spatial Features,” *Comput. Mater. Contin.*, vol. 75, no. 1, pp. 715–740, Jan. 2023, doi: 10.32604/cmc.2023.034963.
- [11] A. Luo, E. Li, Y. Liu, X. Kang, and Z. J. Wang, “A Capsule Network Based Approach for Detection of Audio Spoofing Attacks,” in *Proc. IEEE Int. Conf. Acoust., Speech Signal Process. (ICASSP)*, Toronto, ON, Canada, June 2021, pp. 6359–6363, doi: 10.1109/ICASSP39728.2021.9414670.
- [12] P. Muruganandham, G. R. Thangasamy, S. Jayaraman, and R. Dharmarajan, “LSTM autoencoder based parallel architecture for deepfake audio detection with dynamic residual encoding and feature fusion,” *Sci. Rep.*, vol. 15, no. 1, pp. 1–18, July 2025, doi: 10.1038/s41598-025-08198-6.
- [13] T. M. Wani, R. Gulzar, and I. Amerini, “ABC-CapsNet: Attention based Cascaded Capsule Network for Audio Deepfake Detection,” in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. Workshops (CVPRW)*, Seattle, WA, USA, June 2024, pp. 2464–2472, doi: 10.1109/CVPRW63382.2024.00253.
- [14] M. B. Abisha, J. W. Kathrine, and S. Kushmitha, “Capsule Networks and LSTM Models for Robust Deepfake Detection in Audio and Video,” in *Proc. IEEE Int. Conf. IoT Based Control Netw. Intell. Syst. (ICICNIS)*, Bengaluru, India, Dec. 2024, pp. 1569–1576, doi: 10.1109/ICICNIS64247.2024.10823109.
- [15] S. A. Arief, C. O. Mawalim, and D. P. Lestari, “Indonesian Speech Anti-Spoofing System: Data Creation and Convolutional Neural Network Models,” in *Proc. IEEE 11th Int. Conf. Adv. Informatics: Concept, Theory Appl. (ICAICTA)*, Singapore, Sept. 2024, pp. 1–6, doi: 10.1109/ICAICTA63815.2024.10763091.
- [16] Z. Ba, Q. Wen, P. Cheng, Y. Wang, F. Lin, L. Lu, and Z. Liu, “Transferring Audio Deepfake Detection Capability across Languages,” in *Proc. ACM Web Conf. (WWW)*, Austin, TX, USA, April 2023, pp. 2033–2044, doi: 10.1145/3543507.3583222.
- [17] H. Azis, N. Rismayanti, M. Binti Abdullah, and S. Binti Ismail, “Speech Dataset of Human and AI-Generated Voices,” 2025, doi: 10.17632/5czyx2vppv.2.
- [18] L. Pham, D. Tran, P. Lam, F. Skopik, A. Schindler, S. Poletti, D. Fischinger, and M. Boyer, “DIN-CTS: Low-Complexity Depthwise-Inception Neural Network with

Contrastive Training Strategy for Deepfake Speech Detection,” in *Proc. Eur. Signal Process. Conf. (EUSIPCO)*, Palermo, Italy, Sept. 2025, pp. 556–560, doi: 10.23919/eusipco63237.2025.11226033.

- [19] S. Al-Halabi and A. Kafri, “Audio Deepfake Detection Using a Hybrid Model of Convolutional and Bidirectional Long Short-term Memory Networks,” *Adv. Appl. Sci.*, vol. 11, no. 1, pp. 1–7, Jan. 2026, doi: 10.11648/j.aas.20261101.11.
- [20] L. Wu and Z. Zhang, “Computational Study of the Impact of Dehydration-Induced Vocal Fold Stiffness Changes on Voice Production,” *J. Voice*, vol. 38, no. 4, pp. 836–843, July 2024, doi: 10.1016/j.jvoice.2022.02.001.
- [21] H. K. B. Sihotang, J. S. Karo, K. A. A. Sihotang, V. N. M. Simbolon, and R. H. Lubis, “Identifikasi Pengaruh Gelombang Dan Bunyi Pada Fenomena Mendengar,” *Karst J. Pendidik. Fis. dan Ter.*, vol. 7, no. 2, pp. 91–96, Dec. 2024, doi: 10.46918/karst.v7i2.2527.
- [22] N. Finahari and Alfiana, “Developing The Firm Mosque Model As A Public Health Institution Through The Implementation Of Psychoacoustic On Loudspeaker Systems,” *GANDRUNG J. Pengabd. Kpd. Masy.*, vol. 2, no. 1, pp. 115–129, Mar. 2021, doi: 10.36526/gandrung.v2i1.1191.
- [23] K. D. S. Ningrum, S. Suriyani, and T. Syarfina, “Analisis frekuensi, durasi, dan intensitas suara laki-laki dan perempuan bahasa Banjar menggunakan perangkat lunak Praat,” *AKSARA J. Bhs. Dan Sastra*, vol. 25, no. 1, pp. 185–200, Apr. 2024, doi: 10.23960/aksara/v25i1.pp185-200.
- [24] R. Hima and H. Rois, “Fonetik eksperimental: Dimensi gender pada cross tone kalimat interogatif,” *KEMBARA: J. Keilmuan Bahasa, Sastra, dan Pengajarannya*, vol. 8, no. 2, pp. 205–223, Oct. 2022, doi: 10.22219/kembara.v8i2.21744.
- [25] A. Harbani, F. R. D. Febriantoro, J. Sarjanoko, and S. A. Rahmi, “Penerapan Convolutional Neural Network untuk Klasifikasi Jenis Suara Vokal Paduan Suara Berdasarkan Fitur Akustik,” *Digital Transformation Technology (Digitech)*, vol. 6, no. 1, pp. 41–52, Mar. 2026, doi: 10.47709/digitech.v6i1.7922.
- [26] J. H. L. Hansen and T. Hasan, “Speaker Recognition by Machines and Humans: A tutorial review,” *IEEE Signal Process. Mag.*, vol. 32, no. 6, pp. 74–99, Nov. 2015, doi: 10.1109/MSP.2015.2462851.

- [27] L. R. Rabiner and R. W. Schafer, “*Theory and Applications of Digital Speech Processing.*” Upper Saddle River, NJ, USA: Prentice Hall Press, 2010.
- [28] J. Benesty, M. M. Sondhi, and Y. Huang, Eds., “*Springer Handbook of Speech Processing.*” Berlin, Germany: Springer, 2007.
- [29] M. A. Ghukasyan and E. R. Sivolenko, “Time–Frequency Feature Analysis of Speech Signals Using Wavelet Scalograms and Gabor Transform,” *Armen. J. Phys.*, vol. 19, no. 1, pp. 86-92, Mar. 2026, doi: 10.54503/18291171-2026.19.1-86.
- [30] R. Puggaard-Rode, “Analyzing time-varying spectral characteristics of speech with function-on-scalar regression,” *J. Phon.*, vol. 95, Art. no. 101191, Nov. 2022, doi: 10.1016/j.wocn.2022.101191.
- [31] S. Basak *et al.*, “Challenges and Limitations in Speech Recognition Technology: A Critical Review of Speech Signal Processing Algorithms, Tools and Systems,” *Comput. Model. Eng. Sci.*, vol. 135, no. 2, pp. 1053–1089, 2023, doi: 10.32604/cmesci.2022.021755.
- [32] H. Purwins, B. Li, T. Virtanen, J. Schlüter, S.-Y. Chang, and T. Sainath, “Deep Learning for Audio Signal Processing,” *IEEE J. Sel. Top. Signal Process.*, vol. 13, no. 2, pp. 206–219, May 2019, doi: 10.1109/JSTSP.2019.2908700.
- [33] A. Wisaksono, H. Hindarto, A. Efiyanti, and A. Ahfas, “Klasifikasi Sinyal Wicara Untuk Gerakan Kursi Roda Menggunakan Metode Jaringan Syaraf Tiruan Backpropagation,” *Transmisi: Jurnal Ilmiah Teknik Elektro*, vol. 26, no. 1, pp. 40–47, Jan. 2024, doi: 10.14710/transmisi.26.1.40-47.
- [34] R. Rivaldo, H. Handrizal, and H. Herriyance, “Pengamanan Pesan Menggunakan Metode MLSB PRNG dan Kompresi File dengan Algoritma RLE pada File Audio,” *Jurnal Sistem Informasi Bisnis*, vol. 11, no. 1, pp. 1–8, Apr. 2021, doi: 10.21456/vol11iss1pp1-8.
- [35] C. E. Shannon, “Communication in the Presence of Noise,” *Proc. IRE*, vol. 37, no. 1, pp. 10–21, Jan. 1949, doi: 10.1109/JRPROC.1949.232969.
- [36] S. V. Vaseghi, “*Advanced Digital Signal Processing and Noise Reduction*,” 4th ed. Chichester, UK: Wiley, 2008, doi: 10.1002/9780470740156.
- [37] F. Juefei-Xu, R. Wang, Y. Huang, Q. Guo, L. Ma, and Y. Liu, “Countering

- Malicious DeepFakes: Survey, Battleground, and Horizon,” *Int. J. Comput. Vis.*, vol. 130, no. 7, pp. 1678-1734, May 2022, doi: 10.1007/s11263-022-01606-8.
- [38] K. Wang *et al.*, “From One Stolen Utterance: Assessing the Risks of Voice Cloning in the AIGC Era,” in *Proc. IEEE Symp. Secur. Priv. (SP)*, San Fransisco, CA, USA, May 2025, pp. 4663–4681, doi: 10.1109/SP61157.2025.00238.
- [39] S. Barrington, E. A. Cooper, and H. Farid, “People are poorly equipped to detect AI-powered voice clones,” *Sci. Rep.*, vol. 15, Art. no. 11004, Mar. 2025, doi: 10.1038/s41598-025-94170-3.
- [40] A. O. M. Salih, A. H. M. Emam, A. B. G. E. Ahmed, M. Khalifa, A. Suliman, and N. B. M. Babiker, “Deepfake Audio Detection in Voice Authentication: A Spectral and CNN-Based Comprehensive Review,” *Eng. Technol. Appl. Sci. Res.*, vol. 15, no. 6, pp. 29824–29832, Dec. 2025, doi: 10.48084/etasr.13400.
- [41] S. Smeu, D. A. Boldisor, D. Oneata, and E. Oneata, “Circumventing shortcuts in audio-visual deepfake detection datasets with unsupervised learning,” in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Nashville, TN, USA, June 2025, pp. 18815–18825, doi: 10.1109/CVPR52734.2025.01753.
- [42] N. Müller, F. Dieckmann, P. Czempin, R. Canals, K. Böttinger, and J. Williams, “Speech is Silver, Silence is Golden: What do ASVspoof-trained Models Really Learn?,” in *Proc. 2021 Edition of the Automatic Speaker Verification and Spoofing Countermeasures Challenge*, Online, Sept. 2021, pp. 55–60, doi: 10.21437/ASVSPOOF.2021-9.
- [43] Z. K. Abdul and A. K. Al-Talabani, “Mel Frequency Cepstral Coefficient and its Applications: A Review,” *IEEE Access*, vol. 10, pp. 122136–122158, 2022, doi: 10.1109/ACCESS.2022.3223444.
- [44] M. Labied and A. Belangour, “Automatic Speech Recognition Features Extraction Techniques: A Multi-criteria Comparison,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 8, pp. 177–182, Aug. 2021, doi: 10.14569/IJACSA.2021.0120821.
- [45] W. Liu, “Voice Control System Based on Zynq FPGA,” in *Proc. 2nd Int. Conf. Artif. Intell. Comput. Sci. (AICS)*, Hangzhou, China, J. Phys. Conf. Ser., vol. 1631, no. 1, Art. no. 012177, Jul. 2020, doi: 10.1088/1742-6596/1631/1/012177.

- [46] I. Altalihin, S. Alzu'Bi, A. Alqudah, and A. Mughaid, "Unmasking the Truth: A Deep Learning Approach to Detecting Deepfake Audio Through MFCC Features," in *Proc. 2023 Int. Conf. Inf. Technol. (ICIT)*, Amman, Jordan, pp. 511–518, Aug. 2023, doi: 10.1109/ICIT58056.2023.10226172.
- [47] L. B. V. de Amorim, G. D. C. Cavalcanti, and R. M. O. Cruz, "The choice of scaling technique matters for classification performance," *Appl. Soft Comput.*, vol. 133, Art. no. 109924, Jan. 2023, doi: 10.1016/j.asoc.2022.109924.
- [48] M. Guhdar, R. J. Mstafa, and A. O. Mohammed, "A multimodal temporal attention network for seizure classification via one-dimensional convolutional neural architecture," *Biomed. Signal Process. Control*, vol. 112, Art. no. 108495, Feb. 2026, doi: 10.1016/j.bspc.2025.108495.
- [49] L. Alzubaidi, J. Zhang, A. J. Humaidi, A. Al-Dujaili, Y. Duan, O. Al-Shamma, J. Santamaría, M. A. Fadhel, M. Al-Amidie, and L. Farhan, "Review of deep learning: concepts, CNN architectures, challenges, applications, future directions," *J. Big Data*, vol. 8, Art. no. 53, Mar. 2021, doi: 10.1186/s40537-021-00444-8.
- [50] I. H. Sarker, "Deep Learning: A Comprehensive Overview on Techniques, Taxonomy, Applications and Research Directions," *SN Comput. Sci.*, vol. 2, Art. no. 420, Aug. 2021, doi: 10.1007/s42979-021-00815-1.
- [51] O. I. Abiodun, A. Jantan, A. E. Omolara, K. V. Dada, N. A. E. Mohamed, and H. Arshad, "State-of-the-art in artificial neural network applications: A survey," *Heliyon*, vol. 4, no. 11, Art. no. e00938, Nov. 2018, doi: 10.1016/j.heliyon.2018.e00938.
- [52] A. Thakur and C. Dhawale, "Activation Functions: Bridging the Gap Between Theory and Application in Deep Learning," in *Proc. 2024 Int. Conf Innovations Challenges Emerging Technol. (ICICET)*, Nagpur, India, Jun. 2024, pp. 1–6, doi: 10.1109/ICICET59348.2024.10616348.
- [53] C. Nwankpa, W. Ijomah, A. Gachagan, and S. Marshall, "Activation Functions: Comparison of trends in Practice and Research for Deep Learning," *arXiv:1811.03378*, Nov. 2018, doi: 10.48550/arXiv.1811.03378.
- [54] D. P. Kingma and J. L. Ba, "Adam: A method for stochastic optimization," in *Proc. 3rd Int. Conf. Learn. Represent. (ICLR)*, San Diego, CA, USA, 2015, pp. 1-15, doi:

10.48550/arXiv.1412.6980.

- [55] W. Fan, Q. Li, J. Wen, and X. Peng, “BCE3S: Binary Cross-Entropy Based Tripartite Synergistic Learning for Long-Tailed Recognition,” *Proc. AAAI Conf. Artif. Intell.*, vol. 40, no. 5, pp. 3795–3803, Mar. 2026, doi: 10.1609/aaai.v40i5.37380.
- [56] L. Franceschi, M. Donini, V. Perrone, A. Klein, C. Archambeau, M. Seeger, M. Pontil, and P. Frasconi, “Hyperparameter Optimization in Machine Learning,” *Found. Trends Mach. Learn.*, vol. 18, no. 6, pp. 1054–1201, 2025, doi: 10.1561/22000000088.
- [57] I. Kandel and M. Castelli, “The effect of batch size on the generalizability of the convolutional neural networks on a histopathology dataset,” *ICT Express*, vol. 6, no. 4, pp. 312–315, 2020, doi: 10.1016/j.ict.2020.04.010.
- [58] D. M. R. Narasinga Rao, V. Venkatesh Prasad, P. Sai Teja, M. Zindavali, and O. Phanindra Reddy, “A Survey on Prevention of Overfitting in Convolution Neural Networks Using Machine Learning Techniques,” *Int. J. Eng. Technol.*, vol. 7, no. 2.32, pp. 177-180, 2018, doi: 10.14419/ijet.v7i2.32.15399.
- [59] C. P. Opperman, A. S. Bosman, and K. M. Malan, “Regularisation in neural networks: a survey and empirical analysis of approaches,” *IEEE Trans. Artif. Intell.*, vol. 7, no. 6, pp. 3068-3082, Jun. 2025, doi: 10.1109/TAI.2025.3644334.
- [60] M. K. Patrick, A. F. Adekoya, A. A. Mighty, and B. Y. Edward, “Capsule Networks – A survey,” *J. King Saud Univ. Comput. Inf. Sci.*, vol. 34, no. 1, pp. 1295–1310, Jan. 2022, doi: 10.1016/j.jksuci.2019.09.014.
- [61] M. U. Haq, M. A. J. Sethi, and A. U. Rehman, “Capsule Network with Its Limitation, Modification, and Applications-A Survey,” *Mach. Learn. Knowl. Extr.*, vol. 5, no. 3, pp. 891–921, 2023, doi: 10.3390/make5030047.
- [62] S. Sabour, N. Frosst, and G. E. Hinton, “Dynamic routing between capsules,” in *Proc. Adv. Neural Inf. Process. Syst. (NeurIPS)*, Long Beach, CA, USA, Dec. 2017, pp. 3859–3869, doi: 10.48550/arXiv.1710.09829.
- [63] A. Sherstinsky, “Fundamentals of Recurrent Neural Network (RNN) and Long Short-Term Memory (LSTM) network,” *Phys. D Nonlinear Phenom.*, vol. 404, Art.

no. 132306, Mar. 2020, doi: 10.1016/j.physd.2019.132306.

- [64] Y. Yu, X. Si, C. Hu, and J. Zhang, "A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures," *Neural Comput.*, vol. 31, no. 7, pp. 1235–1270, July 2019, doi: 10.1162/neco_a_01199.
- [65] S. Hochreiter and J. Schmidhuber, "Long Short-Term Memory," *Neural Comput.*, vol. 9, no. 8, pp. 1735–1780, Nov. 1997, doi: 10.1162/neco.1997.9.8.1735.
- [66] G. Van Houdt, C. Mosquera, and G. Nápoles, "A review on the long short-term memory model," *Artif. Intell. Rev.*, vol. 53, no. 8, pp. 5929–5955, 2020, doi: 10.1007/s10462-020-09838-1.
- [67] R. C. Staudemeyer and E. R. Morris, "Understanding LSTM -- a tutorial into Long Short-Term Memory Recurrent Neural Networks," *arXiv:1909.09586*, 2019, doi: 10.48550/arXiv.1909.09586.
- [68] K. Smagulova and A. P. James, "A survey on LSTM memristive neural network architectures and applications," *Eur. Phys. J. Spec. Top.*, vol. 228, no. 10, pp. 2313–2324, Oct. 2019, doi: 10.1140/epjst/e2019-900046-x.
- [69] K. Bayoudh, "A survey of multimodal hybrid deep learning for computer vision: Architectures, applications, trends, and challenges," *Inf. Fusion*, vol. 105, p. 102217, May 2024, doi: 10.1016/j.inffus.2023.102217.
- [70] S. Bhroge *et al.*, "Hybrid CNN-BiLSTM for Deepfake Voice Detection: A Comparative Study," *Int. J. Saf. Secur. Eng.*, vol. 15, no. 9, pp. 1827-1835, 2025, doi: 10.18280/ijssse.150907.
- [71] S. Dilbar, M. A. Qureshi, S. K. Noon, and A. Mannan, "AudioFakeNet: A Model for Reliable Speaker Verification in Deepfake Audio," *Algorithms*, vol. 18, no. 11, pp. 1–18, 2025, doi: 10.3390/a18110716.
- [72] C. Asuai, A. Arinomor, C. Atumah, I. Kowhoro, and D. Ogheneochuko, "Hybrid CNN-LSTM Architectures for Deepfake Audio Detection Using Mel Frequency Cepstral Coefficients and Spectrogram Analysis," *Am. J. Math. Comput. Model.*, vol. 10, no. 3, pp. 98–109, 2025, doi: 10.11648/j.ajmcm.20251003.12.
- [73] H. M and S. M.N, "A Review on Evaluation Metrics for Data Classification Evaluations," *Int. J. Data Min. Knowl. Manag. Process*, vol. 5, no. 2, pp. 01–11,

2015, doi: 10.5121/ijdkp.2015.5201.

- [74] R. Geirhos *et al.*, “Shortcut learning in deep neural networks,” *Nat. Mach. Intell.*, vol. 2, no. 11, pp. 665–673, 2020, doi: 10.1038/s42256-020-00257-z.
- [75] N. M. Müller, P. Czempin, F. Dieckmann, A. Froghyar, and K. Böttinger, “Does Audio Deepfake Detection Generalize?,” in *Proc. Annu. Conf. Int. Speech Commun. Assoc. (INTERSPEECH)*, Incheon, South Korea, 2022, pp. 2783–2787, doi: 10.21437/Interspeech.2022-108.
- [76] B. G. Marcot and A. M. Hanea, “What is an optimal value of k in k-fold cross-validation in discrete Bayesian network analysis?,” *Comput. Stat.*, vol. 36, no. 3, pp. 2009–2031, Sep. 2021, doi: 10.1007/s00180-020-00999-9.
- [77] O. Oyedele, “Determining the optimal number of folds to use in a K-fold cross-validation: A neural network classification experiment,” *Res. Math.*, vol. 10, no. 1, Art. no. 2201015, 2023, doi: 10.1080/27684830.2023.2201015.
- [78] V. Staněk, V. Jirmusová, A. Firc, K. Malinka, J. Reš, and M. Perešini, “What Do Deepfake Speech Detectors Actually Hear?,” *arXiv:2606.10912*, 2026, doi: 10.48550/arXiv.2606.10912.
- [79] M. R. Carbone, “When not to use machine learning: A perspective on potential and limitations,” *MRS Bull.*, vol. 47, no. 9, pp. 968–974, Sep. 2022, doi: 10.1557/s43577-022-00417-z.
- [80] O. A. Shaaban and R. Yildirim, “Audio Deepfake Detection Using Deep Learning,” *Engineering Reports*, vol. 7, no. 3, Art. no. e70087, Mar. 2025, doi: 10.1002/eng2.70087.
- [81] A. Fatima and P. K. Ram, “Impact of Learning Rate on CNN-Based Deepfake Detection,” *J. Artif. Intell. Capsule Netw.*, vol. 7, no. 1, pp. 1–11, Mar. 2025, doi: 10.36548/jaicn.2025.1.001.
- [82] U. K. Lilhore *et al.*, “Hybrid convolutional neural network and bi-LSTM model with EfficientNet-B0 for high-accuracy breast cancer detection and classification,” *Sci. Rep.*, vol. 15, no. 1, pp. 12082, Apr. 2025, doi: 10.1038/s41598-025-95311-4.
- [83] A. A. Siregar, S. Soim, and M. Fadhli, “Optimizing Malware Detection using Back Propagation Neural Network and Hyperparameter Tuning,” *Indones. J. Artif. Intell.*

Data Min. (IJAIMD), vol. 6, no. 2, pp. 220–230, Sept. 2023, doi:
10.24014/ijaidm.v6i2.24731.

- [84] M. Sofyan, M. G. Suryanata, and M. S. Wahyuni, “Deteksi Ucapan yang Dihasilkan oleh Artificial Intelligence Menggunakan Metode Convolutional Neural Network,” *Jurnal Sistem Informasi TGD*, vol. 5, no. 3, pp. 821–833, May 2026, doi: 10.53513/jursi.v5i3.10434.
- [85] C. O. Mawalim, S. A. Arief, and D. P. Lestari., “InaSAS: Benchmarking Indonesian Speech Antispoofing Systems,” *APSIPA Trans. Signal Inf. Process.*, vol. 14, Art. no. e203, 2025, doi: 10.1561/116.20240080.

