

DAFTAR PUSTAKA

- [1] H. Cangara, *Pengantar Ilmu Komunikasi*, Edisi Kedua. Jakarta: Rajawali Pers, 2024.
- [2] R. Auziqni, "BISINDO Indonesian Sign Language Recognition Using MediaPipe Holistic and LSTM Deep Learning Model," Skripsi S1, Universitas Mercu Buana Jakarta, 2022.
- [3] K. Hulliyah et al., "Performance Analysis of GRU, LSTM, and RNN for BISINDO Sign Language Recognition," *ResearchGate*, Oct. 2025.
- [4] Farhana et al., "BISINDO Sign Language Interpreter System Using YOLOv8 and CNN," *bit-Tech*, vol. 8, no. 1, 2025. doi: 10.32877/bt.v8i1.2638.
- [5] I. Sari, Fivrenodi, E. Altiarika, and Sarwindah, "Sistem Pengembangan Bahasa Isyarat Untuk Berkomunikasi dengan Penyandang Disabilitas (Tunarungu)," *Journal of Information Technology and Society*, vol. 1, no. 1, pp. 20–25, 2023. doi: 10.35438/jits.v1i1.21.
- [6] U. Salamah and Al-Khowarizmi, "Implementation of Machine Learning For Indonesian Sign Language Recognition Using Convolutional Neural Network Model," *Electronic Integrated Computer Algorithm Journal*, vol. 3, no. 1, pp. 24–27, 2025.
- [7] M. Alagband, H. R. Maghroor, and I. Garibay, "A Survey on Sign Language Literature," *Machine Learning with Applications*, vol. 14, p. 100504, Dec. 2023. doi: 10.1016/j.mlwa.2023.100504.
- [8] S. Dwijayanti, Hermawati, S. I. Taqiyyah, H. Hikmarika, and B. Y. Suprpto, "Indonesia Sign Language Recognition using Convolutional Neural Network," *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 12, no. 10, 2021.
- [9] Y. D. Maheswara, M. A. Al-Sulthon, P. A. Wicaksono, K. Afifah, and N. Prihatiningrum, "Real-Time BISINDO Sign Language Recognition: A Dynamic Approach with GRU and LSTM Models Leveraging MediaPipe," in *2023 6th International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, IEEE, Dec. 2023, pp. 226–232. doi: 10.1109/ISRITI60336.2023.10467586.
- [10] K. Kudrinko, E. Flavin, X. Zhu, and Q. Li, "Wearable Sensor-Based Sign Language Recognition: A Comprehensive Review," *IEEE Reviews in Biomedical Engineering*, vol. 14, pp. 82–97, 2021. doi: 10.1109/RBME.2020.3019769.
- [11] A. Ogunlana et al., "A Comprehensive Survey on Recent Advances and Challenges in Sign Language Recognition Systems," *Discover Artificial Intelligence*, Springer Nature, 2025. doi: 10.1007/s44163-025-00629-7.
- [12] F. A. Setiawan, Z. A. Rohmah, and G. F. Laxmi, "Indonesian Sign Language (BISINDO) Alphabet Detection Using the You Only Look Once (YOLO) Algorithm Version 8," in *2024 International Conference on Computer, Control, Informatics and its Applications (IC3INA)*, IEEE, 2024, pp. 388–393.
- [13] A. Aljabar and S. Suharjito, "BISINDO (Bahasa Isyarat Indonesia) Sign Language Recognition Using CNN and LSTM," *Advances in Science, Technology and Engineering Systems Journal*, vol. 5, no. 5, pp. 282–287, 2020. doi: 10.25046/aj050535.

- [14] Md. R. I. Khan et al., "Enhancing Bidirectional Sign Language Communication: Integrating YOLOv8 and NLP for Real-Time Gesture Recognition & Translation," *arXiv:2411.13597*, Nov. 2024.
- [15] J. C. Terven, D. M. Córdova-Esparza, and J. A. Romero-González, "A Comprehensive Review of YOLO Architectures in Computer Vision: From YOLOv1 to YOLOv8 and YOLO-NAS," *Machine Learning and Knowledge Extraction*, vol. 5, no. 4, pp. 1680–1716, 2023. doi: 10.3390/make5040083.
- [16] F. Zhang, V. Bazarevsky, A. Vakunov, A. Tkachenka, G. Sung, C.-L. Chang, and M. Grundmann, "MediaPipe Hands: On-device real-time hand tracking," *arXiv preprint arXiv:2006.10214*, 2020.
- [17] G. Jocher, A. Chaurasia, and J. Qiu, "Ultralytics YOLOv8," GitHub, 2023. [Online]. Available: <https://github.com/ultralytics/ultralytics>
- [18] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, Nov. 1997, doi: 10.1162/neco.1997.9.8.1735.
- [19] M. Yaseen, "What is YOLOv8: An In-Depth Exploration of the Internal Features of the Next-Generation Object Detector," *arXiv:2408.15857*, 2024.
- [20] L. H. Ganda and H. Bunyamin, "Penggunaan Augmentasi Data pada Klasifikasi Jenis Kanker Payudara dengan Model Resnet-34," *Strategi*, vol. 3, no. 1, pp. 187–193, May 2021.
- [21] A. N. Azizah, "Klasifikasi Penyakit Diabetic Retinopathy Menggunakan Metode Convolutional Neural Network (CNN) Model Deep Residual Network (ResNet)," Universitas Islam Negeri Sunan Ampel, Surabaya, 2021.
- [22] S. P. Ristiawanto, B. Irawan, and C. Setianingsih, "Pengenal Ekspresi Wajah Berbasis Convolutional Neural Network Menggunakan Arsitektur Residual Network-50," vol. 8, pp. 6455–6469, May 2021.
- [23] M. R. Alwanda, R. P. K. Ramadhan, and D. Alamsyah, "Implementasi Metode Convolutional Neural Network Menggunakan Arsitektur LeNet-5 untuk Pengenal Doodle," *Jurnal Algoritme*, vol. 1, no. 1, pp. 45–56, Oct. 2020. doi: 10.35957/algoritme.v1i1.434.
- [24] A. Escontrela, "Convolutional Neural Networks from the ground up," *Towards Data Science*, 2018. [Online]. Available: <https://medium.com/towards-data-science/convolutional-neural-networks-from-the-ground-up-c67bb41454e1>.
- [25] G. Wang, Y. Chen, P. An, H. Hong, J. Hu, and T. Huang, "UAV-YOLOv8: A Small-Object-Detection Model Based on Improved YOLOv8 for UAV Aerial Photography Scenarios," *Sensors*, vol. 23, no. 16, Aug. 2023. doi: 10.3390/s23167190.
- [26] S. Elfving, E. Uchibe, and K. Doya, "Sigmoid-weighted linear units for neural network function approximation in reinforcement learning," *Neural Networks*, vol. 107, pp. 3–11, Nov. 2018. doi: 10.1016/j.neunet.2017.12.012.
- [27] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778, Dec. 2015. doi: 10.1109/CVPR.2016.90.
- [28] E. Tanuwijaya, D. Christian Kartamihardja, and T. Leonardo Lianoto, "Deteksi Ekspresi Wajah Manusia Menggunakan Convolutional Neural Network Pada Citra Pembelajaran Daring," *Jurnal Ilmiah Betrik*, vol. 13, no. 03, pp. 224–230, Dec. 2021.
- [29] M. Y. A. Thoriq, K. E. Permana, and I. A. Siradjuddin, "Deteksi Wajah Manusia Berbasis One Stage Detector Menggunakan Metode You Only Look Once (Yolo)," *Jurnal Teknoinfo*, vol. 17, no. 1, pp. 66–73, Jan. 2023. doi: 10.33365/jti.v17i1.1884.
- [30] R. Mehindra Prasmatio, B. Rahmat, and I. Yuniar, "Deteksi Dan Pengenal Ikan Menggunakan Algoritma Convolutional Neural Network," *Jurnal Informatika dan Sistem Informasi (JIFoSI)*, vol. 1, no. 2, 2020.

- [31] J. Brilliantio, N. Santosa, G. Ardian, and L. Hakim, "Penerapan Convolutional Neural Network untuk Handwriting Recognition pada Aplikasi Belajar Aritmatika Dasar Berbasis Web," *Jurnal Teknik Informatik Unika St. Thomas (JTIUST)*, vol. 5, no. 2, pp. 137–146, Dec. 2020. doi: 10.17605/jtiust.v5i2.945.
- [32] I. A. Sabilla, "Arsitektur Convolutional Neural Network (CNN) untuk Klasifikasi Jenis dan Kesegaran Buah pada Neraca Buah," Institut Teknologi Sepuluh Nopember, Surabaya, 2020.
- [33] Dony and C. Lubis, "Deteksi YOLOv8 dan Pengenalan Wajah Menggunakan ResNet50 Pada Gereja," *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 12, no. 1, pp. 130–140, Mar. 2025.
- [34] S. Ioffe and C. Szegedy, "Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift," in *Proceedings of the 32nd International Conference on Machine Learning (ICML)*, Lille, 2015, pp. 448–456.
- [35] D. P. Kingma and J. Ba, "Adam: A Method for Stochastic Optimization," in *3rd International Conference on Learning Representations (ICLR)*, San Diego, 2015. arXiv:1412.6980.
- [36] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: A Simple Way to Prevent Neural Networks from Overfitting," *Journal of Machine Learning Research*, vol. 15, no. 56, pp. 1929–1958, 2014.
- [37] C. Shorten and T. M. Khoshgoftaar, "A Survey on Image Data Augmentation for Deep Learning," *Journal of Big Data*, vol. 6, no. 1, art. 60, 2019. doi: 10.1186/s40537-019-0197-0.
- [38] T.-Y. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, "Feature Pyramid Networks for Object Detection," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 2117–2125. doi: 10.1109/CVPR.2017.106.
- [39] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You Only Look Once: Unified, Real-Time Object Detection," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 779–788. doi: 10.1109/CVPR.2016.91.
- [40] K. He, X. Zhang, S. Ren, and J. Sun, "Spatial Pyramid Pooling in Deep Convolutional Networks for Visual Recognition," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 37, no. 9, pp. 1904–1916, 2015. doi: 10.1109/TPAMI.2015.2389824.
- [41] Z. Zheng, P. Wang, W. Liu, J. Li, R. Ye, and D. Ren, "Distance-IoU Loss: Faster and Better Learning for Bounding Box Regression," in *AAAI Conference on Artificial Intelligence*, vol. 34, no. 7, pp. 12993–13000, 2020. doi: 10.1609/aaai.v34i07.6999.
- [42] C.-Y. Wang, A. Bochkovskiy, and H.-Y. M. Liao, "YOLOv7: Trainable Bag-of-Freebies Sets New State-of-the-Art for Real-Time Object Detectors," in *IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2023, pp. 7464–7475. doi: 10.1109/CVPR52729.2023.00721.
- [43] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 39, no. 6, pp. 1137–1149, 2017. doi: 10.1109/TPAMI.2016.2577031.
- [44] C. Lugaresi, J. Tang, H. Nash, C. McClanahan, E. Uboweja, M. Hays, F. Zhang, C.-L. Chang, M. G. Yong, J. Lee, W.-T. Chang, W. Hua, M. Georg, and M. Grundmann, "MediaPipe: A Framework for Building Perception Pipelines," *arXiv:1906.08172*, 2019.

- [45] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, "Focal Loss for Dense Object Detection," in *IEEE International Conference on Computer Vision (ICCV)*, 2017, pp. 2980–2988. doi: 10.1109/ICCV.2017.324.
- [46] J. Redmon and A. Farhadi, "YOLOv3: An Incremental Improvement," *arXiv:1804.02767*, 2018.
- [47] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, "YOLOv4: Optimal Speed and Accuracy of Object Detection," *arXiv:2004.10934*, 2020.
- [48] K. Simonyan and A. Zisserman, "Very Deep Convolutional Networks for Large-Scale Image Recognition," in *3rd International Conference on Learning Representations (ICLR)*, 2015. arXiv:1409.1556.
- [49] A. Graves, A. Mohamed, and G. Hinton, "Speech Recognition with Deep Recurrent Neural Networks," in *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2013, pp. 6645–6649. doi: 10.1109/ICASSP.2013.6638947.
- [50] M. Abadi et al., "TensorFlow: A system for large-scale machine learning," in *Proc. 12th USENIX Symp. Operating Systems Design and Implementation (OSDI '16)*, Savannah, GA, USA, Nov. 2016, pp. 265–283.
- [51] G. Bradski, "The OpenCV library," *Dr. Dobbs's Journal of Software Tools*, vol. 25, pp. 120–125, Nov. 2000.
- [52] F. Pedregosa et al., "Scikit-learn: Machine learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, Oct. 2011.
- [53] G. O. Kindy, G. Leonali, and H. Lucky, "Word-Level BISINDO: A novel video Indonesian sign language dataset and baseline methods," *Procedia Computer Science*, vol. 269, pp. 249–258, 2025, doi: 10.1016/j.procs.2025.01.035.
- [54] A. Cavender, R. E. Ladner, and E. A. Riskin, "MobileASL: Intelligibility of sign language video as constrained by mobile phone technology," in *Proc. 8th Int. ACM SIGACCESS Conf. Computers and Accessibility (ASSETS '06)*, Portland, OR, USA, 2006, pp. 71–78.
- [55] N. Cherniavsky, A. C. Cavender, R. E. Ladner, and E. A. Riskin, "Variable frame rate for low power mobile sign language communication," in *Proc. 9th Int. ACM SIGACCESS Conf. Computers and Accessibility (ASSETS '07)*, Tempe, AZ, USA, 2007.
- [56] J. J. Tran, E. A. Riskin, R. E. Ladner, and J. O. Wobbrock, "Evaluating intelligibility and battery drain of mobile sign language video transmitted at low frame rates and bit rates," *ACM Transactions on Accessible Computing*, vol. 7, no. 3, Art. 11, pp. 1–26, Nov. 2015, doi: 10.1145/2797142.
- [57] T. Kim and B. Kim, "Techniques for detecting the start and end points of sign language utterances to enhance recognition performance in mobile environments," *Applied Sciences*, vol. 14, no. 20, Art. 9199, 2024, doi: 10.3390/app14209199.
- [58] G. O. Kindy, G. Leonali, and H. Lucky, "Word-Level BISINDO: A novel video Indonesian sign language dataset and baseline methods," *Procedia Computer Science*, vol. 269, pp. 249–258, 2025, doi: 10.1016/j.procs.2025.01.035.
- [59] A. Cavender, R. E. Ladner, and E. A. Riskin, "MobileASL: Intelligibility of sign language video as constrained by mobile phone technology," in *Proc. 8th Int. ACM SIGACCESS Conf. Computers and Accessibility (ASSETS '06)*, Portland, OR, USA, 2006, pp. 71–78.
- [60] N. Cherniavsky, A. C. Cavender, R. E. Ladner, and E. A. Riskin, "Variable frame rate for low power mobile sign language communication," in *Proc. 9th Int. ACM SIGACCESS Conf. Computers and Accessibility (ASSETS '07)*, Tempe, AZ, USA, 2007.

- [61] J. J. Tran, E. A. Riskin, R. E. Ladner, and J. O. Wobbrock, "Evaluating intelligibility and battery drain of mobile sign language video transmitted at low frame rates and bit rates," *ACM Transactions on Accessible Computing*, vol. 7, no. 3, Art. 11, pp. 1–26, Nov. 2015, doi: 10.1145/2797142.
- [62] T. Kim and B. Kim, "Techniques for detecting the start and end points of sign language utterances to enhance recognition performance in mobile environments," *Applied Sciences*, vol. 14, no. 20, Art. 9199, 2024, doi: 10.3390/app14209199.

