

DAFTAR PUSTAKA

- Abidin, S., Suhadak and Hidayat, R. R. (2016) ‘Pengaruh Faktor-faktor Teknikal Terhadap Harga Saham’, *Jurnal Administrasi Bisnis*, 37(1), pp. 1–7.
- Bansal, A., Sharma, M. and Goel, S. (2017) ‘Improved K-mean Clustering Algorithm for Prediction Analysis using Classification Technique in Data Mining’, *International Journal of Computer Applications*, 157(6), pp. 35–40. doi: 10.5120/ijca2017912719.
- Chen, Y. and Hao, Y. (2017) ‘A feature weighted support vector machine and K-nearest neighbor algorithm for stock market indices prediction’, *Expert Systems with Applications*. Elsevier Ltd, 80, pp. 340–355. doi: 10.1016/j.eswa.2017.02.044.
- Gou, J. et al. (2012) ‘A local mean-based k-nearest centroid neighbor classifier’, *Computer Journal*, 55(9), pp. 1058–1071. doi: 10.1093/comjnl/bxr131.
- Henrique, B. M., Sobreiro, V. A. and Kimura, H. (2018) ‘Stock price prediction using support vector regression on daily and up to the minute prices’, *The Journal of Finance and Data Science*. Elsevier Ltd, 4(3), pp. 183–201. doi: 10.1016/j.jfds.2018.04.003.
- Jeon, S. et al. (2016) ‘Stock price prediction based on stock big data and pattern graph analysis’, *IoTBD 2016 - Proceedings of the International Conference on Internet of Things and Big Data*, (IoTBD), pp. 223–231. doi: 10.5220/0005876102230231.
- Li, A. et al. (2016) ‘Application of Outlier Mining in Insider Identification Based on Boxplot Method’, *Procedia Computer Science*. The Author(s), 91(May 2010), pp. 245–251. doi: 10.1016/j.procs.2016.07.069.
- Mehta, S. et al. (2018) ‘A new nearest centroid neighbor classifier based on k local means using harmonic mean distance’, *Information (Switzerland)*, 9(9). doi: 10.3390/info9090234.
- Nair, B. B. et al. (2017) ‘Clustering stock price time series data to generate stock trading recommendations: An empirical study’, *Expert Systems with Applications*. Elsevier Ltd, 70, pp. 20–36. doi: 10.1016/j.eswa.2016.11.002.
- Qiu, M., Song, Y. and Akagi, F. (2016) ‘Application of artificial neural network for the prediction of stock market returns: The case of the Japanese stock market’, *Chaos, Solitons and Fractals*. Elsevier Ltd, 85, pp. 1–7. doi: 10.1016/j.chaos.2016.01.004.

Raya, J., Tugu, K. and No, K. M. (2017) ‘Tiruan Secara Supervised Learning Dengan Algoritma’, 3(2), pp. 65–70.

Sinaga, F. M. *et al.* (2019) ‘Stock Trend Prediction using SV-kNNC and SOM’, *Proceedings of 2019 4th International Conference on Informatics and Computing, ICIC 2019*. doi: 10.1109/ICIC47613.2019.8985731.

Su, C. H. and Cheng, C. H. (2016) ‘A hybrid fuzzy time series model based on ANFIS and integrated nonlinear feature selection method for forecasting stock’, *Neurocomputing*. Elsevier, 205, pp. 264–273. doi: 10.1016/j.neucom.2016.03.068.

Sukmawati, E., AR, M. and Topowijono, T. (2013) ‘ANALISIS FUNDAMENTAL DENGAN PENDEKATAN PRICE EARNING RATIO (PER) UNTUK MENILAI KEWAJARAN HARGA SAHAM DAN KEPUTUSAN INVESTASI (Studi Pada Perusahaan Kosmetik dan Barang Keperluan Rumah Tangga yang Listing Di Bursa Efek Indonesia Periode 2009-2011)’, *Jurnal Administrasi Bisnis S1 Universitas Brawijaya*, 2(2), pp. 21–29.

Syaliman, K. U., Nababan, E. B. and Sitompul, O. S. (2018) ‘Improving the accuracy of k-nearest neighbor using local mean based and distance weight’, *Journal of Physics: Conference Series*, 978(1). doi: 10.1088/1742-6596/978/1/012047.

Umaidah, Y. (2018) ‘Penerapan Algoritma Artificial Neural Network Dalam Prediksi Harga Saham Lq45 Pt. Bank Rakyat Indonesia, Tbk’, *Jurnal Gerbang*, 8(1), pp. 57–64.

Azis, M., Mintarti, S. & Nardir, M., 2015. Manajemen Investasi : Fundamental, Teknikal, Perilaku Investor dan Return. Yogyakarta: Deepublish.

Yuan, C. and Yang, H. (2019) ‘Research on K-Value Selection Method of K-Means Clustering Algorithm’, *J*, 2(2), pp. 226–235. doi: 10.3390/j2020016.

Zhang, N., Lin, A. and Shang, P. (2017) ‘Multidimensional k-nearest neighbor model based on EEMD for financial time series forecasting’, *Physica A: Statistical Mechanics and its Applications*. Elsevier B.V., 477, pp. 161–173. doi: 10.1016/j.physa.2017.02.072.

Utami, E. & Raharjo, S., 2006. RDBMS dengan PostgreSQL di GNU/Linux. Yogyakarta: Andi..

Ash-shidiq, H. and Setiawan, A. B. (2015) ‘Jurnal Ekonomi dan Perbankan Syariah Vol . 3 . No . 2 , Oktober , 2015 : 25-46 , ISSN (cet): 2355-1755 INFLASI DAN NILAI TUKAR TERHADAP INDEKS HARGA SAHAM JAKARTA ISLAMIC INDEX (JII) PERIODE 2009-2014’ , 3(2), pp. 25–46.

Ayu, I. G. *et al.* (2017) ‘Pengaruh Ukuran dan Umur Pada Kinerja Reksa Dana

Saham di Indonesia', *E-Jurnal Akuntansi*, 21, pp. 1460–1487. doi: 10.24843/EJA.2017.v21.i02.p22.

Drajana, I. C. R. (2017) 'Metode Support Vector Machine Dan Forward Selection Prediksi Pembayaran Pembelian Bahan Baku Kopra', *ILKOM Jurnal Ilmiah*, 9(2), pp. 116–123. doi: 10.33096/ilkom.v9i2.134.116-123.

Gough, I. (2002) 'Market price', *Fire Prevention*, (355), p. 19. doi: 10.1057/9780230226203.3038.

Harwaningrum, M. (2016) 'Perbandingan Penilaian Saham Dengan Metode Analisis Fundamental Dan Analisis Tehknical, Penggorengan Saham, Serta Keputusan Penilaian Saham Jika Hasil Berlawanan Arah Untuk Kedua Metode Analisis Pada Saham Bakrie Group Untuk Periode 2005- 2009', *Jurnal Ilmiah Manajemen dan Bisnis*, 2(1), pp. 558–570. doi: 10.22441/jimb.v2i1.3696.

Fahmi & Irfan, 2014. Analisa Kinerja Keuangan. Bandung: Alfabeta.

Habib, A., 2008. Kiat Jitu Peramalan Saham Analisis dan Teknikal. Yogyakarta: 2008..

Mutmainah, M. and Sulasmiyati, S. (2017) 'ANALISIS TEKNIKAL INDIKATOR STOCHASTIC OSCILLATOR DALAM MENENTUKAN SINYAL BELI DAN SINYAL JUAL SAHAM (Studi Pada Sub Sektor Konstruksi dan Bangunan di Bursa Efek Indonesia Periode 2014-2016)', *Jurnal Administrasi Bisnis SI Universitas Brawijaya*, 49(1), p. 136267.

Neneng, N., Adi, K. and Isnanto, R. (2016) 'Support Vector Machine Untuk Klasifikasi Citra Jenis Daging Berdasarkan Tekstur Menggunakan Ekstraksi Ciri Gray Level Co-Occurrence Matrices (GLCM)', *Jurnal Sistem Informasi Bisnis*, 6(1), p. 1. doi: 10.21456/vol6iss1pp1-10.

Shynkevich, Y. et al. (2017) 'Forecasting price movements using technical indicators: Investigating the impact of varying input window length', *Neurocomputing*. Elsevier B.V., 264(December 2018), pp. 71–88. doi: 10.1016/j.neucom.2016.11.095.

Sriswat, A., Phienthrakul, T. and Kijisirikul, B. (2006) 'SV-kNNC: An algorithm for improving the efficiency of k-nearest neighbor', *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 4099 LNAI(January 2014), pp. 975–979. doi: 10.1007/11801603_117.

Utami & Gunarsih (2019) 'Variable Index Dynamic Average (Vidya) Dan Indikator Relative', (April).

Validation, K. C. *et al.* (2020) ‘Prediksi Akurasi Perusahaan Saham Menggunakan SVM dan’, 21(1), pp. 11–19.

Visa Sofia, D. (2011) ‘Confusion Matrix-based Feature Selection Sofia Visa’, *ConfusionMatrix-based Feature Selection Sofia*, 710(January), p. 8.

Widodo, D. and Hansun, S. (2016) ‘Implementasi Simple Moving Average dan Exponential Moving Average dalam Menentukan Tren Harga Saham Perusahaan’, *Jurnal ULTIMATICS*, 7(2), pp. 113–124. doi: 10.31937/ti.v7i2.354.

Zezen, A., Abidin, Z. and Barat, J. (2013) ‘IMPLEMENTASI ALGORITMA K-NEAREST NEIGHBORS’, 2013(semnasIF).



UNIVERSITAS
MIKROSKIL